



City of Kingston
Department of Public Works
Annual Report
2016

Joseph A. Chenier, Superintendent
Ed Boyle, Deputy Superintendent

Table of Contents

Department Overview and Functions	3
Mission Statement	4
2016 Accomplishments	4
2016 Developments	6
2017 Goals	7
Appendix A – 2016 Recycling Tonnage	
Appendix B - 2016 Refuse Tonnage	
Appendix C – Kingston Connectivity Project Pavement Marking and Signage Details	
Appendix D – Blank Work Order and Work Order Log	

Department: Public Works

Staff: 60 Full-time

Superintendent: Joseph A. Chenier

Phone: 845-331-0682 E-mail: jchenier@kingston-ny.gov

Website: www.kingston-ny.gov

2016 Budget: \$8,083,552.00

Department Functions

The City of Kingston Department of Public Works is headed by the Superintendent of Public Works, who oversees a workforce of approximately 60 persons. The Department is divided into nine primary divisions.

1. **Public Works Administration** ensures the safe and smooth operation of its various divisions. It plans, budgets and coordinates projects with other City Departments and sections. All excavation permits, sidewalk permits, curb cut permits and work orders are issued through this division.
2. **Safety Division** is responsible for developing safety and health programs. It provides training of all programs to ensure all City employees have the skills and information to successfully protect themselves and the general public.
3. **Street Division** is responsible for traffic control, street paving and repair, painting, striping, signage along with sidewalk and curb installation.
4. **Sewer Maintenance Division** ensures sewer mains remain in proper working order through our preventive maintenance program. This consists of routine cleaning of all public sewer main in which an obstruction may occur. They are responsible for installation and repair of all manholes, catch basins and sewer mains.
5. **Sanitation Division** encompasses City of Kingston solid waste and recycling collection services. It plans, implements, coordinates and directs programs for the collection of trash and recycling material in compliance with all regulations.
6. **Waste Water Treatment Division** is in operation to protect public health and to ensure minimal impact on aquatic environment through collection and treatment of waste water within our regional area. The facility crew operates and maintains the collection and treatment systems.
7. **Citibus Division** provides safe, affordable and reliable public transportation by being in compliance with all Federal, State and City Safety regulations.
8. **Fleet Maintenance Division** maintains, repairs and services all vehicles and equipment owned and operated by the City of Kingston.
9. **Park Maintenance Division** assists the Parks & Recreation Department with on-going maintenance and development of the City parks, streetscapes and athletic complexes throughout the City of Kingston.

Mission Statement

The Department of Public Works is committed to providing a safe and healthful environment for all employees, residents and visitors of our City. Our goal is to put into practice and maintain DPW Safety Rules and Established Procedures, promoting safety awareness and safe work practices for all City Departments and employees while performing our duties maintaining the infrastructure of the City of Kingston. Ensure compliance with all Federal, State and City regulations to reduce and prevent accidents, injuries and illnesses to all. This will be accomplished through Employee and Community involvement at all levels of the city, which is critical to be successful in this effort. Through our combined efforts the City of Kingston will be a safe and healthy place for employees to work, residents to live and visitors to enjoy.

2016 Accomplishments

STREETS/SEWER

- Paved 15 Streets, 7200 tons of blacktop were placed
- Cleaned approximately 200 catch basins
- Approximately 117 catch basins were repaired
- Repaired approximately 55 manholes
- Jet-rodded storm and sanitary sewer pipes. This work included routine maintenance of known hotspots. Additionally, the sewer department responds to blockages and jet rods the main line accordingly. Approximately 25 miles of sewer were rodded.
- Swept all city streets 3 times, some streets swept more based on need
- The Department assisted with the re-opening of Washington Avenue at the conclusion of the sinkhole project.
- The Department refurbished the former Kings Inn lot to facilitate the Kingston Commons Project. The Department transplanted 3 large white pine trees, trimmed shrubs, removed blacktop, placed topsoil, planted grass seed, water grass, rebuilt 2 catch basins, and placed black top in area of abandoned pool.
- The Department assisted with the construction/refurbishment of Kingston Kinderland playground.

SANITATION

- Recycled almost 2,000 tons, saving over \$203K – see appendix A
- Collected over 7,600 tons of refuse Citywide – see appendix B
- Additionally, the following items were collected roadside
 - 197 pieces of furniture (couches, chairs, desks, etc.)
 - 233 mattresses/box springs
 - 4 tires
 - 13 electronics (non-TV)
 - 131 TVs
 - 14 white goods (stoves, microwave, etc.)

- Violations
 - \$25,370.57 billed
 - \$11,826.57 collected
 - \$2,492.00 voided
 - \$4,502.00 unpaid
 - \$6,550.00 re-levy
- Distributed approximately 1,500 refuse totes
- Transfer Station is operated Friday and Saturday throughout the year. Items collected include tires, furniture, electronics (computers, printers TVs, monitors, stereos etc.), wood, yard waste, recyclables, refuse, metal and white goods (refrigerators, washers, dryers, microwaves, etc.)

SNOW AND ICE REMOVAL

- A snow plan was developed for the Department and posted to the City's website. The link to the snow plan is: <http://kingston-ny.gov/content/8399/8469/10411/16497.aspx>
- Public works responded to 4 winter storms in December 2016. There were three snow storms with accumulations in excess of three inches and an ice storm.

CONSTRUCTION MANAGEMENT AND CONSTRUCTION SUPPORT

- Collaborated with Engineering Department, assisted with construction management and provided construction support on various capital improvement projects. Projects included Combined Sewer Separation Project at Broadway and Grand Street; Greenkill Avenue Bridge Replacement; Safe Routes to School Project; Washington Avenue Sinkhole Project and Uptown Parking Lot Improvements. Construction support and project management services will continue into the new year as these projects progress.

2016 Developments (changes in department since 2015)

- Completed Phase 1 of the Kingston Connectivity Project. Pavement markings and signage were added to 6,375 linear feet of roadway (1.2 miles). Pavement markings consisted of bike sharrows (bikeway pavement symbol), stop bars, yield lines, crosswalks, rail road crossing markings and double yellow lines. Approximately 120 signs were installed alerting motorists and cyclists. See Appendix C for pavement marking and signage details. The project area includes Cornell Street from Broadway to Foxhall Avenue, Ten Broek Avenue from Cornell Street to Foxhall Avenue, Foxhall Avenue from Ten Broek to Jansen Avenue and Jansen Avenue from Foxhall Avenue to East Chester Street.

The connectivity project using complete street principles improves the multi modal transportation system. The project will create a safer environment for motorists, pedestrian and cyclists. This project coupled with the Broadway Streetscape Improvement project is the first step in creating a multi-use transportation system throughout the City. Kingston is the first community in the Hudson Valley to embrace complete street principles. Similar projects have been very successful throughout the country and around the world.

- Implementation of enhanced work order system. This will allow the department to more accurately track the metrics of typical activities (miles of street swept, linear feet of sewer jet-rodded, catch basins cleaned.) See Appendix D for sample work order and work order log.
- Purchase of additional brine tank and distribution system to decrease salt usage. Studies have shown that the use of salt brine decreases the consumption of salt by 30%.

2017 Goals

- Implement QAlert Work Order System. QAlert will bring the Department's work order system to the next level utilizing the most current technology. The system includes citizen engagement web tools. Citizens can place service requests via app, call or web. When the issue is resolved, QAlert automatically notifies citizen via text, email or phone call.

QAlert will allow staff:

1. To enter a service request in seconds.
2. Have instant access to an internal knowledge base that enables staff to answer questions and log calls in seconds
3. Easily link and identify related or duplicate service requests
4. View request data on a map
5. Auto-populate citizen name, address, contact information and more for quick entry
6. Easily locate requests using robust search functionality
7. Send automated text, call, and email notifications to citizens

The system will also allow for advanced reporting functionality. For additional information on the proposed system see: <http://www.qscend.com/crm#workflow>

- The department plans to create a robust road inventory utilizing modern software specifically designed for this task. An intern from Cornell Local Roads Program working with the superintendent will be responsible for executing this important task. Utilizing the newly developed road inventory the Department will create a 5-year work plan for street rehabilitation.
- In an effort to decrease expenditures and promote environmental stewardship the Department plans to increase city wide recycling efforts. The Sanitation Inspector will work closely with the City's environmental educators and newly created Recycling Coordinator to realize this goal.
- The Department plans to work with Engineering Department and City Administration in advancing the LED Streetlight Conversion Project. The use of energy efficient LED streetlights will save money and further promote environmental stewardship.
- Complete distribution of refuse totes to all properties in the City.
- Completion of Phase 2 of the Connectivity Project is planned in the upcoming year. The project area includes Broadway from Garaghan Drive to East Strand Street, East Strand Street from Broadway to North Street, North Street from East Strand Street to Willow Street and Delaware Avenue from North Street to Kingston Point Park. Pavement markings and signage will be added to this area as shown in Appendix C.

APPENDIX A

**SINGLE STREAM RECYCLING TONNAGE 2016
YEARLY TOTALS**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Total	
TOTALS	155.02	138.48	113.6	149.07	170.43	203.93	163.93	150.17	159.05	169.86	198.1	192.96	1964.60	\$ 203,353.80 Savings
													TONS	

JANUARY

	4-Jan	11-Jan	12-Jan	13-Jan	14-Jan	20-Jan	25-Jan	26-Jan	27-Jan	28-Jan	
	1.15	4.12	7.73	6.32	2.25	4.19		0.84	5.18	7.01	
	3.65	5.72	3.88	11.5	6.6		5.46			5.16	
	1.23	6.98	6.33	6.4	6.05		5.36	6.45	5.88	6.55	
					3.87		3.87	6.68	4.49	4.12	
TOTALS	6.03	16.82	17.94	24.22	18.77	4.19	14.69	13.97	15.55	22.84	155.02

FEBRUARY

	2-Feb	8-Feb	9-Feb	10-Feb	11-Feb	17-Feb	22-Feb	23-Feb	24-Feb	25-Feb	
					4.44	4.25	3.01	4.4		4.99	
		6.22	5.76	6.63	5.64		5.87	6.15	6.3	6.77	
		5.61	6	5.15	6.05		5.17	5.79	5.79	5.69	
	4.23	3.25	5.65	3.52					6.15		
TOTALS	4.23	15.08	17.41	15.3	16.13	4.25	14.05	16.34	18.24	17.45	138.48

MARCH

	7-Mar	8-Mar	9-Mar	11-Mar	21-Mar	22-Mar	23-Mar	24-Mar	
	3.63	3.82	3.21	4.02	3.34	3.92		2.62	
	1.15	6.79	5.82		6.15	6.01	6.86	6.17	
	5.8	7.22	4.87	2.39	5.3	6.03	4.74	5.9	
				4.07		1.29	2.48		
TOTALS	10.58	17.83	13.9	10.48	14.79	17.25	14.08	14.69	113.6

APRIL

	4-Apr	5-Apr	6-Apr	7-Apr	8-Apr	12-Apr	18-Apr	19-Apr	20-Apr	21-Apr	
		4.75	4.06		3.55	0.83	3.97	5.99		3.79	
	6.06	6.24	5.79	6.19				5.15	8.68	6.51	
	5.68	5.79	5.32	5.94			6.04	6.68	5.65	5.8	
		4.5	1.16		0.96	4.09	6.71	4.5	6.71	1.98	
TOTALS	11.74	21.28	16.33	12.13	4.51	4.92	16.72	22.32	21.04	18.08	149.07

MAY

2-May	3-May	4-May	5-May	6-May	10-May	11-May	16-May	17-May	18-May	19-May	20-May	24-May	25-May	27-May	31-May	TOTALS
6.06	6.38	1	4.64	4.32	1.36	0.75	5.78	4.49	4.49	4.61	0.93	1.77	3.1	0.53	6.37	
4	6.22	4.52	2.36	6.65	2.64		6.58	6.51	4.84	3.54					4.15	
6.24	7	6.62					3.74	1.63	5.92	5.9					5.3	
		7.2						7.16	2.87	2.26						
16.3	19.6	19.34	7	10.97	4	0.75	16.1	19.79	18.12	16.31	0.93	1.77	3.1	0.53	15.82	170.43

JUNE

1-Jun	2-Jun	3-Jun	6-Jun	9-Jun	13-Jun	14-Jun	15-Jun	16-Jun	17-Jun	21-Jun	22-Jun	27-Jun	28-Jun	29-Jun	30-Jun	TOTALS
5	5.62	2.26	4.25	0.84	5.69	4.88	5.39	6.32	5.8	3.85	1.01	5.91	6.57	6.58	5.23	
5.31	4.16	5.72			3.24	6.26	1.16	4				6.03	6.62	4.66	6.96	
7.1	5.16	4.48			6.26	1.62	5.6					3.81	6.29	6.4	3.28	
0.79	6.25	1.34				6.19	4.39									
		5.65														
18.2	21.19	19.45	4.25	0.84	15.19	18.95	16.54	10.32	5.8	3.85	1.01	15.75	19.48	17.64	15.47	203.93

JULY

1-Jul	6-Jul	7-Jul	11-Jul	12-Jul	13-Jul	14-Jul	15-Jul	19-Jul	20-Jul	25-Jul	26-Jul	27-Jul	28-Jul	TOTALS
0.93	3.78	1.29	6.74	7.23	3.97	6.26	6.92	4.13	0.73	5.54	2.09	5.78	0.87	
2.14	0.4		4.1	6.56	6.31	3.64	2.33			3.73	6.56	4.74	6.81	
0.97			7.34	7.13	8.09					6.07	3.44	5.89	5.97	
1.83											7.76		3.64	
2.22														
8.09	4.18	1.29	18.18	20.92	18.37	9.9	9.25	4.13	0.73	15.34	19.85	16.41	17.29	163.93

AUGUST

2-Aug	3-Aug	8-Aug	9-Aug	10-Aug	11-Aug	12-Aug	16-Aug	17-Aug	22-Aug	23-Aug	24-Aug	25-Aug	26-Aug	30-Aug	31-Aug	TOTALS			
1.2	1.22	3.34	4.28	4.1	4.24	1.43	2.71	2.65	4.2	4.76	4.6	0.67	3.23	4.11	0.77				
1.32		6.3	6.41	5.93	6.32	2.46			5.72	6.44	5.64	2.28							
4.96			6.92	6.95	6.89	2.79				6.82	6.59	5.81							
												6.11							
7.48		1.22	9.64	17.61	95.66	16.98	17.45	6.68		2.71	2.65	9.92	18.02	16.83	14.87	3.23	4.11	0.77	150.17

SEPTEMBER

6-Sep	7-Sep	8-Sep	9-Sep	12-Sep	13-Sep	15-Sep	19-Sep	20-Sep	21-Sep	22-Sep	23-Sep	28-Sep		
4.66	6.37	5.27	1.95	1.38	4.25	0.54	4.4	4.85	5.99	4	2.99	5.55		
6.69	5.27	5.08	7.06	5.53			5.3	4.34	6.14	2.88	1.54			
0.47	1.78	6.66		1.96			5.64		3.61	2.01	6.51			
	7.44								3.42					
	6.43								2.23					
	6.43								2.43					
TOTALS	11.82	33.72	17.01	9.01	8.87	4.25	0.54	15.34	9.19	23.82	8.89	11.04	5.55	159.05

OCTOBER

3-Oct	4-Oct	5-Oct	6-Oct	7-Oct	12-Oct	13-Oct	14-Oct	17-Oct	18-Oct	19-Oct	20-Oct	21-Oct	25-Oct	26-Oct	31-Oct		
6.66	5.96	5.56	7.06	1.6	4.29	0.77	0.97	6.45	4.7	5.74	1.42	6.18	3.81	1.25	7.82		
4.23	7.12	5.56	5.74					4.04	6.47	4.79	6.1	3.61			3.95		
5.42	5.08	2.58	1.09					6	3.83	2.14					4.31		
		2.6	6.81						6.25	1.9							
TOTALS	16.31	18.16	16.3	20.7	1.6	4.29	0.77	0.97	10.49	23.42	14.36	11.56	9.79	3.81	1.25	16.08	169.86

NOVEMBER

1-Nov	2-Nov	3-Nov	4-Nov	8-Nov	9-Nov	14-Nov	15-Nov	16-Nov	17-Nov	18-Nov	22-Nov	23-Nov	28-Nov	29-Nov	30-Nov		
5.6	3.91	2.26	6.35	4.30	0.89	4.3	6.39	6.11	6.74	3.14	3.38	1.31	3.87	6.32	4.55		
7.38	5.14	4.25	5.59		0.69	4.63	4.52	5.63	4.98	1.4	0.8		6.26	7.15	7.38		
	7.31	4.9				5.66		3.31	2.38					4.58	6.5		
		2.63						6.13	2.76					0.99	6.35		
								1.46	4.09								
								3.83									
TOTALS	12.98	16.36	14.04	11.94	4.3	1.58	14.59	10.91	26.47	20.95	4.54	4.18	1.31	10.13	19.04	24.78	198.1

DECEMBER

1-Dec	2-Dec	6-Dec	7-Dec	12-Dec	13-Dec	14-Dec	15-Dec	16-Dec	20-Dec	21-Dec	27-Dec	28-Dec	29-Dec	30-Dec			
2.92	6.07	3.92	1.41	7.45	7.32	6.48	6.92	2.27	3.65	0.87	2.86	5.23	3.53	4.62			
7.78			1.65	4.13	4.67	4.98	4.52	2.07			5.73	3	4.8	6.6			
3.56			2.8			5.48	3.97	3.95			2.93	7.33	5.13	1.88			
5.88							1.24				6.4	7.3	6.85	1.63			
							5.52							5.66			
TOTALS	20.14	6.07	3.92	5.86	11.58	11.99	16.94	22.17	8.29	3.65	0.87	17.92	22.86	20.31	20.39	0	192.96

APPENDIX B

REFUSE TONAGE 2016

YEARLY TOTALS

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
564.31	565.65	636.51	585.07	638.36	730.44	625.37	713.35	660.94	626.57	676.12	607.90	7630.585	\$ 785,950.26
												TONS	TOT COST

JANUARY

01/04	01/05	01/06	01/07	01/08	01/11	01/12	01/13	01/14	01/15	01/19	01/20	01/21	01/22	01/25	01/26	01/27	01/28	01/29	
2.68	5.79	0.11	0.25	5.39	8.68	7.27	5.55	6.19	0.24	2.74	5.14	4.47	5.53	6.57	5.71	1.95	4.95	4.21	
6.43	4.98	5.47	5.16	3.30	7.19	3.43	6.29	0.13	0.91	4.83	7.54	0.05	0.01	6.16	5.31	6.42	5.41		
8.61	5.77	3.24	5.44		1.47	10.57	7.49	6.60	0.26	6.68	3.85	6.60	1.88	1.53	1.23	6.38	4.53		
11.69	2.87	2.07	5.66		7.32	4.65	3.15	5.40	4.82	7.25	2.57	8.73	6.32	1.76	1.77	1.25	8.32		
4.57	6.01	8.03	1.77		2.75	4.00	2.81	9.27		4.39	5.37	3.24	2.91	5.95	4.68	6.73			
2.23	9.53	8.33	10.55		11.67	6.00	9.25	3.84		6.98	9.48	5.38	10.50	9.34	8.06	6.83			
4.59	3.81	5.47	1.59		0.13					3.61		7.97	6.13		0.07	1.46			
		2.33								3.92						1.95			
										0.21						0.18			
																0.27			
40.8	38.76	35.05	30.42	8.69	39.21	35.92	34.54	31.43	6.23	40.61	33.95	36.44	33.28	31.31	26.83	33.42	23.21	4.21	564.31

FEBRUARY

02/01	02/02	02/03	02/04	02/05	02/08	02/09	02/10	02/11	02/12	02/16	02/17	02/18	02/19	02/22	02/23	02/24	02/25	02/26	02/29	
2.36	4.36	5.53	6.42	3.31	6.50	4.37	5.82	4.42	3.85	5.95	0.22	0.14	1.76	5.90	2.28	4.32	4.47	4.92	0.83	
6.43	5.84	6.49	4.74	1.27	6.62	6.51	5.79	1.56	0.27	7.04	5.13	0.48	5.35	7.07	4.08	6.26	1.93		3.05	
6.23	3.52	1.46	1.56	0.12	4.51	0.06	1.93	5.70		4.30	6.47	7.14	7.02	3.02	7.74	3.79	5.01		7.53	
1.61	3.15	7.86	2.44		9.58	1.49	6.50	5.10		2.80	2.04	5.19	9.34	6.16	3.43	1.74	5.34		6.89	
0.17	8.31	1.57	5.29		2.41	3.27	2.22	9.27		10.17	3.26	0.49	6.32	2.46	5.21	6.27	8.69		2.31	
2.55	4.81	6.68	0.15		1.91	5.19	7.80	2.69		6.15	5.40	7.18	3.85	11.63	8.15	1.81	0.42		3.10	
5.91	0.2		3.43		7.18	8.87	3.02	0.64			8.95	8.47		0.15		7.22			9.91	
10.19			2.36									2.97							6.75	
												4.83							0.35	
35.45	30.19	29.59	26.39	4.7	38.71	29.76	33.08	29.38	4.12	36.41	31.47	36.89	33.64	36.39	30.89	27.09	25.86	4.92	40.72	565.65

MARCH

03/01	03/02	03/03	03/07	03/08	03/09	03/10	03/11	03/14	03/15	03/16	03/17	03/18	03/21	03/22	03/23	03/24	03/28	03/29	03/30	03/31	
4.62	6.22	5.01	0.41	4.68	6.11	2.66	2.45	0.68	4.48	2.83	6.67	5.05	0.18	6.17	5.61	2.80	6.24	0.19	5.70	4.17	
6.71	6.91	5.23	6.67	5.11	7.31	0.32	4.72	5.49	6.29	2.93	5.21	0.22	6.82	6.76	6.82	1.55	7.45	4.69	3.88	2.94	
4.27	7.99	1.46	7.30	3.71	4.63	4.78		6.82	2.85	5.28	6.13	0.14	7.52	0.04	4.13	4.96	1.70	7.85	6.76	6.31	
4.7	2.99	8.88	6.26	3.22	2.49	6.34		1.70	2.03	6.30	8.72		1.10	2.50	1.51	4.98	3.70	3.66	2.73	6.49	
7.71	2.45	5.44	2.74	5.10	2.36	6.68		10.24	5.08	2.71			6.49	7.41	7.05	1.89	9.96	1.87	1.97	10.66	
2.6	6.9		10.57	9.04	8.54			2.83	7.95	2.75			11.22	2.78	6.32	3.68	6.70	6.21	7.88	0.19	
0.3			3.93		2.53			5.59	0.30	7.53			2.92	8.01		6.33		8.12	4.25		
			10.93					2.39		6.55						9.95					
								0.24		0.06						0.31					
								0.25								0.16					
30.91	33.46	26.02	48.81	30.86	33.97	20.78	7.17	36.23	28.98	36.94	26.73	5.41	36.25	33.665	31.44	36.61	35.75	32.59	33.17	30.76	636.505

APRIL

04/01	04/04	04/05	04/06	04/07	04/08	04/11	04/12	04/13	04/14	04/15	04/18	04/19	04/20	04/21	04/22	04/25	04/26	04/27	04/28	04/29	
0.81	6.41	0.34	6.46	4.97	4.29	7.76	4.86	8.56	0.64	3.05	0.35	4.94	6.69	5.34	0.74	6.45	6.45	4.53	6.94	4.58	
2.43	3.77	0.34	6.66	1.75	1.13	7.23	7.19	4.76	6.17	4.52	1.97	6.00	5.99	5.87	4.53	7.55	6.07	7.37	7.00	0.37	
5.5	10.51	4.8	2.56	5.47	1.13	1.55	6.31	7.44	5.03		5.18	0.11	5.18	2.03	0.24	0.78	6.79	5.47	9.52		
	7.04	8.4	8.47	6.43		7.58	4.26	6.82	5.98		7.17	6.27	2.53	5.94	0.34	10.70	7.61	3.90	6.18		
	7.86	5.23	7.11	10.07		10.69	2.21	1.86	8.30		3.71	4.13	7.83	1.42	0.15	2.29	2.94	7.36			
		0.66	2.85			3.17		7.65	0.39		0.42	2.83	2.86	10.96	9.01	7.45	1.86	3.17			
		8.65				0.22		2.96			2.70	10.39	3.52			0.35		2.05			
		3.02						2.67			11.55	0.04				0.34		3.67			
		3.67									6.71	0.89				0.18					
8.74	35.59	35.11	34.11	28.69	6.55	38.2	24.83	42.72	26.51	7.57	39.76	35.6	34.6	31.56	15.01	36.09	31.72	37.52	29.64	4.95	585.07

MAY

05/02	05/03	05/04	05/05	05/06	05/09	05/10	05/11	05/12	05/13	05/16	05/17	05/18	05/19	05/20	05/23	05/24	05/25	05/26	05/27	05/31	
4.26	4.54	2.35	3.92	4.96	5.27	6.79	5.76	0.43	5.76	0.34	6.45	6.77	6.65	3.84	7.16	4.17	6.50	0.24	3.99	0.40	
4.02	8.19	5.48	3.03		7.93	8.32	7.44	5.27	1.77	0.12	2.72	5.78	5.34	5.07	7.05	6.53	8.56	0.37	0.14	8.83	
7.95	7.23	6.97	4.89		2.55	8.36	3.25	9.10	4.39	5.57	0.24	9.53	2.11	0.33	0.20	3.86	6.97	6.57	4.52	5.62	
2.85	1.68	6.14	2.74		7.55	1.47	7.51	1.72	0.18	8.03	7.16	2.76	7.26		0.31	2.13	3.81	9.90		8.91	
10.31	8.99	3.1	5.75		4.93	6.65	9.25	6.65		2.43	2.00	0.18	9.54		1.36	5.70	7.75	5.83		2.07	
8.26	3.9	4.24	1.88		9.95	0.16	2.27	6.10		12.78	10.36	7.87			2.42	9.53	1.92	6.93		3.38	
5.34		7.64	7.99		0.44					7.49	6.21	3.49			11.50					10.97	
0.42		0.36	0.16							4.04					7.56						
0.29																					
0.21																					
4.98																					
48.89	34.53	36.28	30.36	4.96	38.62	31.75	35.48	29.27	12.1	40.8	35.14	36.38	30.9	9.24	37.56	31.92	35.51	29.84	8.65	40.18	638.36

JUNE

06/01	06/02	06/03	06/06	06/07	06/08	06/09	06/10	06/13	06/14	06/15	06/16	06/17	06/20	06/21	06/22	06/23	06/24	06/27	06/28	06/29	06/30	
0.21	5.42	5.44	4.42	7.50	5.95	0.22	5.82	0.19	1.76	0.61	4.95	2.24	3.74	4.68	5.98	10.89	1.54	5.54	6.55	7.62	6.59	
10.35	7.35	7.92	0.43	7.69	5.18	4.69	4.09	7.13	4.49	8.51	4.54	5.35	5.86	6.68	5.17	6.55	3.82	8.01	5.98	3.24	13.44	
5.54	4.94	7.5	5.54	8.61	7.40	0.39		6.56	6.87	7.43	1.98	0.24	0.73	1.66	6.21	4.48	0.16	2.00	2.89	6.33	6.81	
5.45	2.15	2	6.52	1.20	2.39	9.50		0.40	9.90	6.56	2.10	0.15	2.88	3.34	7.23	6.30		7.21	2.26	3.40	5.22	
8.31	9.32	11.61	2.71	6.11	1.06	1.72		3.99	4.48	0.66	5.92		11.55	9.80	8.56	0.24		5.13	9.85	7.62	0.53	
4.89	5.49	2.71	6.42	1.02	6.76	4.61		3.83	1.25	10.79	0.46		3.03	5.78	3.24			11.75	6.34	4.26		
2.83	4.7		3.06		3.69	4.80		13.19	7.61	0.30	11.81		4.55	0.22	3.32			0.23	0.33	10.07		
6.78	0.21		0.28					7.66		2.14			0.41	0.22	4.33			0.16	0.33	0.12		
	11.02		2.74							2.22			0.49					0.17		0.26		
	0.19		10.17																			
			1.45																			
			0.28																			
			2.09																			
44.36	50.79	37.18	46.11	32.13	32.43	25.93	9.91	42.95	36.36	39.22	31.76	7.98	33.24	32.16	44.04	28.46	5.52	40.20	34.20	42.92	32.59	730.44

JULY

7/1	7/5	7/6	7/7	7/8	7/11	7/12	7/13	7/14	7/15	7/18	7/19	7/20	7/21	7/22	7/25	7/26	7/27	7/28	7/29		
5.88	1.51	0.45	7.28	5.28	0.44	5.29	7.12	4.69	3.09	6.00	4.92	6.45	0.21	0.09	6.55	4.49	5.75	0.32	1.52		
4.75	7.26	6.21	6.29	12.91	5.33	4.07	6.34	1.35	5.17	6.04	6.15	5.83	4.26	0.32	4.92	7.02	5.41	4.23	11.09		
5.48	5.31	6.56	9.96	0.20	6.28	10.99	3.08	5.67	1.94	6.35	4.08	4.04	6.17	4.79	4.82	12.22	8.00	3.14	0.18		
0.38	1.91	0.31	2.61	3.83	0.14	6.85	8.68	4.79	0.22	3.75	8.49	4.04	5.79	5.89	1.39	3.35	4.10	5.35	4.14		
	0.35	10.67	8.04	7.66	6.79	2.47	2.97	11.88		3.97	3.98	0.34	1.81		3.18	3.72	3.43	6.49	5.07		
	7.13	3.13	5.65	7.11	12.91		5.27	0.07		12.13	7.03	10.25	12.37		4.51	7.50	0.39		0.20		
	14.08	2.54	0.35		4.15		0.15			0.15	0.30	8.34			0.35	8.52	9.57				
	6.46	6.81			5.06					0.48	1.22				0.13	0.17					
	0.33				0.14					0.05											
16.49	44.34	36.68	40.18	36.99	41.24	29.67	33.61	28.45	10.42	38.92	36.17	39.29	30.61	11.09	25.85	46.99	36.65	19.53	22.2	625.37	

AUGUST

8/1	8/2	8/3	8/4	8/5	8/8	8/9	8/10	8/11	8/12	8/15	8/16	8/17	8/18	8/19	8/22	8/23	8/24	8/25	8/26	8/29	8/30	8/31	
0.91	6.48	0.4	4.4	2.26	5.90	4.66	11.73	3.53	11.81	0.46	6.04	5.88	0.17	3.84	0.38	7.70	5.87	4.42	4.51	0.42	4.21	5.48	
0.59	3.46	6.67	0.19	0.31	5.47	6.88	6.58	4.44	5.80	6.37	0.18	5.30	4.82	0.22	6.97	4.95	0.19	4.85	0.43	5.88	7.94	5.54	
5.97	5.96	6.49	5.21	0.12	5.85	6.63	5.57	4.69	0.42	5.99	8.90	7.92	4.87	5.31	5.38	11.56	6.89	6.77	5.75	0.21	10.00	1.24	
6.19	9.57	0.26	6.3		3.66	3.85	3.65	3.10	5.11	0.26	5.85	3.49	2.13		4.81	8.09	3.27	12.01		6.50	7.84	3.83	
4.41	9.11	8.35	2.17		8.12	3.04	4.15	3.42		7.89	3.32	8.27	11.70		0.30	4.93	10.66	2.57		3.52	1.25	4.30	
11.82		3.41	12.02		4.45	0.27	10.04			3.52		9.88	5.88		14.51	1.67	5.66			13.28		9.13	
3.61		3.96			11.25		5.98			4.22		4.87			2.07		0.32			10.30		7.54	
4.52		7.8			0.25		0.23			10.88					4.65		0.40						
					0.18																		
					0.34																		
38.02	34.58	37.34	30.29	2.69	45.47	25.33	47.93	19.18	23.14	39.59	24.29	45.61	29.57	9.37	39.07	38.9	33.26	30.62	10.69	40.11	31.24	37.06	713.35

SEPTEMBER



9/1	9/2	9/6	9/7	9/8	9/9	9/12	9/13	9/14	9/15	9/16	9/19	9/20	9/21	9/22	9/23	9/26	9/27	9/28	9/29	9/30		
4.85	0.2	0.34	6.06	7.21	5.36	0.39	4.58	0.46	2.31	0.42	0.28	5.02	6.10	4.47	2.82	0.08	8.58	0.72	0.87	0.27		
4.31	3.37	0.14	6.64	6.25	2.57		5.13	0.14	4.07	6.05	7.39	7.66	6.45	0.31	0.36	0.32	9.63	6.98	11.80	0.25		
0.32	3.79	7.72	11.9	3.01	7.75		2.10	4.51	10.02		0.47	0.90	9.05	5.69	4.80	6.36	5.63	6.49	5.44	2.82		
1.91	5.88	12.17	0.3	9.20	1.50		0.67	5.92	5.12		3.25	2.46	3.17	6.39	12.24	0.28	9.41	8.46	6.07	4.33		
6.36	0.12	3.21	4.2	11.08	11.00		7.40	0.08	4.29		11.73	9.71	4.87	1.66	5.24	10.15		2.50	6.06			
5.12		7.37	1.75	3.48	12.80		9.11	8.26	1.40		7.47	9.97	7.95			2.84		2.62				
12.34		12.67	11.73	3.10	6.28			7.19			11.66					10.53		8.24				
					2.97											6.80						
					0.19																	
					0.27																	
					0.29																	
					0.18																	
					0.18																	
					5.81																	
35.21	13.36	43.62	46.01	43.33	76.52	0.39	28.99	35.76	27.21	6.47	42.25	35.72	37.59	18.52	25.46	37.36	33.25	36.01	30.24	7.67	660.94	

OCTOBER																				
10/3	10/4	10/5	10/6	10/7	10/11	10/12	10/13	10/14	10/17	10/18	10/19	10/20	10/21	10/24	10/25	10/26	10/27	10/28	10/31	
3.61	7.63	6.64	5.21	6.72	0.37	0.13	7.95	0.33	0.25	5.82	0.23	4.84	0.13	0.33	6.10	0.09	0.37	4.52	0.29	
6.06	2.19	7.03	6.73	0.48	4.30	7.45	7.39	1.72	0.10	8.57	6.20	4.39	0.14	5.67	5.19	6.38	4.78		5.53	
0.38	5.29	9.02	6.2	1.92	7.80	0.23	6.98	4.62	3.69	4.99	5.79	10.82	5.09	3.00	8.94	6.03	10.32		0.43	
2.81	9.37	7.99	11.71	0.30	0.27	5.49	9.19	5.78	6.07	2.11	2.54	5.93		0.34	2.68	8.20	5.65		6.43	
0.36	9.84	2.33		5.13	11.96	9.87	2.55	11.22	4.17	8.27	7.77	1.67		13.31	8.45	2.79	5.88		10.77	
12.67		3.5			3.49	2.38	3.43	6.98	11.81		2.45			7.02		2.83			5.56	
10.88		0.17			12.17	11.13		7.02	0.55		7.93			10.46		7.14			11.31	
4					5.36			3.00	10.73											
40.77	34.32	36.68	29.85	14.55	45.72	36.68	37.49	40.67	37.37	29.76	32.91	27.65	5.36	40.13	31.36	33.46	27	4.52	40.32	626.57


NOVEMBER																				
11/1	11/2	11/3	11/4	11/7	11/8	11/9	11/10	11/14	11/15	11/16	11/17	11/18	11/21	11/22	11/23	11/25	11/28	11/29	11/30	
0.3	6.04	5.45	0.19	0.29	6.68	3.75	0.34	0.27	0.21	7.04	9.46	7.92	1.15	0.31	6.45	6.05	5.33	6.96	8.46	
5.08	7.15	7.03	5.52	5.57	6.03	2.08	5.51	6.34	10.12	12.51	5.31	4.57	0.32	7.97	6.37	4.65	0.29	0.23	7.73	
6.26	2.78	6.9	0.32	2.81	9.39	5.82	5.21	3.82	5.99	7.34	6.97	5.30	4.83	9.09	7.56	11.28	0.09	1.17	10.30	
0.36	8.4	1.42	5.22	11.72	2.43	5.34	9.81	8.05	0.40	3.16	6.50		6.74	8.65	7.70	4.38	8.48	7.64	3.75	
9.4	9.4	1.57	3.75	7.59	8.12	7.74	1.74	10.92	6.29	3.36			3.55	5.94	3.49		2.60	12.58	3.14	
1.41	2.74		8.89	10.85		1.28	5.65	6.36	7.63				1.28	1.07	3.73		13.23	9.56	9.63	
2.53	0.37		1.12			2.17			3.44				9.65				8.44			
8.55						2.62							10.37				11.97			
						7.33							6.66							
33.89	36.88	22.37	25.01	38.83	32.65	38.13	28.26	35.76	34.08	33.41	28.24	17.79	44.55	33.03	35.3	26.36	50.43	38.14	43.01	676.12

DECEMBER																				
12/1	12/2	12/5	12/6	12/7	12/8	12/9	12/12	12/13	12/14	12/15	12/16	12/19	12/20	12/21	12/22	12/27	12/28	12/29	12/30	
5.59	0.36	8	0.32	0.21	4.75	4.47	5.88	4.53	6.77	7.98	0.83	6.60	5.68	5.86	4.96	7.71	2.89	7.94	6.15	
6.99	0.76	0.11	7.28	7.10	5.00		3.30	2.38	6.62	5.93	3.35	0.95	7.65	4.81	7.89	0.22	6.96	7.46	7.10	
1.83	5.62	1.7	9.4	6.58	9.58		12.27	6.49	2.14	5.16		8.28	4.57	6.98	5.25	1.22	3.61	10.56	9.91	
1.98		10.59	5.04	8.36	8.15		6.86	5.97	8.45	0.14		1.19	2.13	2.35	7.04	7.79	2.56	3.83	12.20	
12.76		10.37	1.88	3.45	0.66		8.01	9.51	7.53	8.88		0.13	3.40	6.73	3.51	10.57	11.59	4.60		
6.38		6.91	9.09	5.65	1.14			8.98	2.82			8.45	7.83		0.11	11.84	11.58	10.09		
0.34				3.12				1.65	0.20			6.02				2.72				
0.09				4.19																
35.96	6.74	37.68	33.01	38.66	29.28	4.47	36.32	39.51	34.53	28.09	4.18	31.62	31.26	26.73	28.76	42.07	39.19	44.48	35.36	607.90


APPENDIX C




1 BIKEWAY SIGNAGE
SCALE 1/2" = 1'-0"




3 STOP PAVEMENT LETTERS
SCALE 1/2" = 1'-0"




5 YIELD LINE PAVEMENT SYMBOL
SCALE 1/2" = 1'-0"



2 BIKEWAY PAVEMENT SYMBOL
SCALE 1/4" = 1'-0"



4 RAILROAD CROSSING PAVEMENT SYMBOL
SCALE 1/4" = 1'-0"



6 CROSSWALK PAVEMENT SYMBOL
SCALE 1/2" = 1'-0"

DATE:	REVISION:	BY:
10-13-16	Revise detail 2 and sign type 2	MWA

SEAL:

SARATOGA ASSOCIATES
Landscape Architects, Architects, Engineers, and Planners, P.C.
New York City - Saratoga Springs - Syracuse

Engineering and Land Surveying, P.C.

KINGSTON CONNECTIVITY PROJECT
CITY OF KINGSTON, NEW YORK

Details

DATE: 04.11.16
DRAWN BY: ELG
CHECKED BY: RJM
PHASE: 100% CD

PM-08
SHEET NO. 48 OF 48

PAVEMENT MARKING AND SIGNAGE DETAILS

APPENDIX D

CITY OF KINGSTON DEPT OF PUBLIC WORKS
Field Work Order

Date Request Received: 11/10/16

Work Order # _____

Dig Safe NY #: _____

Work Requested By: _____

Foreman In Charge _____

Employee(s) Assigned _____

Divisions:	<u>SEWER</u>	<u>STREETS</u>	<u>SANITATION</u>	<u>ELECTRICIAN</u>	<u>CARPENTER</u>
<input type="checkbox"/>	backup	<input type="checkbox"/> cap mh/cb	<input type="checkbox"/> dead animal	<input type="checkbox"/> knock down (light pole)	<input type="checkbox"/> building maintenance
<input type="checkbox"/>	catch basin repair	<input type="checkbox"/> curbs	<input type="checkbox"/> dead/partially	<input type="checkbox"/> relamp/bulbs	<input type="checkbox"/> misc.
<input type="checkbox"/>	catch basin inspection	<input type="checkbox"/> knock down street furniture	<input type="checkbox"/> diseased animal	<input type="checkbox"/> street light out	<input type="checkbox"/> other (describe below)
<input type="checkbox"/>	clean debris off CB	<input type="checkbox"/> plant	<input type="checkbox"/> missed pickup	<input type="checkbox"/> traffic light out	
<input type="checkbox"/>	flooding	<input type="checkbox"/> plant tree	<input type="checkbox"/> parking lot clean up	<input type="checkbox"/> ped head	
<input type="checkbox"/>	MH cover replacement	<input type="checkbox"/> plow	<input type="checkbox"/> other (describe below)	<input type="checkbox"/> other (describe below)	
<input type="checkbox"/>	manhole inspection	<input type="checkbox"/> erosion			
<input type="checkbox"/>	markout	<input type="checkbox"/> excavation maintenance			
<input type="checkbox"/>	rusty odor	<input type="checkbox"/> pothole			
<input type="checkbox"/>	sewer odor	<input type="checkbox"/> push back			
<input type="checkbox"/>	other (describe below)	<input type="checkbox"/> salt			
		<input type="checkbox"/> sidewalk			
		<input type="checkbox"/> signs			
		<input type="checkbox"/> soil and seed			
		<input type="checkbox"/> striping			
		<input type="checkbox"/> stump grinding			
		<input type="checkbox"/> other (describe below)			

Street Location/Facility: _____

Cross Street: _____

Description: _____

Comments: _____

Signature of Authorization For Work Request _____

Joseph A. Chenier, Superintendent Public Works

Date _____

FOR OFFICE USE ONLY

Date Started: _____

Date Completed: _____

Man Hours: _____

Materials Used: _____

Equipment Used: _____

Total Job Cost: \$ _____

Funding Source: _____

WORK ORDER LOG

<u>Date Request</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
9/22/2016	John Tuey		611 Broadway - meter pole modification	Meter pole	Boyle/Filocco	Street Maintenance	12/7/2016	
9/22/2016	John Tuey		install 3 'City Employee Parking Only' signs at lower hospital/city hall parking lot	Signs	Simon/Crosswell	Street Maintenance	10/29/2016	
9/22/2016	John Tuey		273 Clinton Ave. @ Main Street - No Parking Here to Corner Sign	Signs	Simon/Crosswell	Street Maintenance	10/3/2016	
9/22/2016			move shed from in back of wall uptown (N. Front & Fair) so owner can take away and cut/trim trees and clean up	Trees	Ed Boyle	Street Maintenance	9/22/2016	
9/23/2016			worked on electric at uptown parking lot (Nekos side); installed panel box stanchion		Ed Boyle	Street Maintenance	9/23/2016	
9/26/2016			put 4x4 under shed uptown so they could put on trailer		Ed Boyle	Street Maintenance	9/26/2016	
9/27/2016			Mid town Center parking lot - dug out and starting blacktopping trench		Ed Boyle	P & R	9/28/2016	
9/28/2016	Joe Chenier		Street light out on Broadway in front of City Hall, flood light out too, flag not lit	Street light		Electrical		
9/28/2016	Joe Chenier		Street light out Broadway, N side at bend before light at Kingston Catholic	Street light		Electrical		
9/28/2016	Joe Chenier		Street light out 75 Broadway S side at median	Street light		Electrical		
9/28/2016	Joe Chenier		Street light out 75 Broadway (acorn style)	Street light		Electrical		
9/28/2016	Joe Chenier		Street light out at 37 Broadway	Street light		Electrical		
9/28/2016	Joe Chenier		Street light out at West Strand St. Island by Mariners	Street light		Electrical		
9/28/2016	Joe Chenier		Street light out Parking Lot off West Strand St, 2nd entrance	Street light	No power	Electrical		
9/28/2016	Joe Chenier		Street light out Patio at TR Gallo Park next to Fountain	Street light		Electrical	9/29/2016	
9/28/2016	Joe Chenier		Street light out Bluestone Patio behind Mariner's, top of steps near picnic table/gazebo	Street light		Electrical	9/29/2016	
9/28/2016	Joe Chenier		Street light out Rondout promenade, 1 pole East of Wurts St. Bridge	Street light		Electrical	10/4/2016	
9/28/2016	Joe Chenier		Street light out Rondout promenade, 1 pole West of Wurts St. Bridge	Street light		Electrical	10/4/2016	
9/28/2016	Joe Chenier		Street light out Rondout promenade, last 2 poles @ west end before stop sign @ Abeel	Street light		Electrical	10/4/2016	
9/28/2016	Joe Chenier		39 John St. (north of Wall)	Street light	Ed Boyle	Electrical	10/5/2016	
9/28/2016	Joe Chenier		40 John St. (north of Wall)	Street light	Ed Boyle	Electrical	10/5/2016	
9/28/2016	Joe Chenier		47 John St. (north of Wall)	Street light	Ed Boyle	Electrical	10/5/2016	
9/28/2016	Joe Chenier		65 John St.	Street light		Electrical	10/5/2016	
9/28/2016	Joe Chenier		74 John St.	Street light		Electrical	10/5/2016	
9/28/2016	Joe Chenier		7 lights under Gazebo at Gallo Park behind Mariners to be replaced	Street light		Electrical		
9/28/2016	Joe Chenier		2 lights out Company Hill Path, in front of Irish Culteral Center	Street light		Electrical		
9/28/2016	City Hall		Adjust timing for Geo. Washington School Traffic Signal	Traffic Signal	Ed Boyle	Electrical	10/4/2016	
9/28/2016			147 Fairview Ave - finish curb		Ed Boyle	Street Maintenance	9/28/2016	
9/29/2016	Resolution 199		remove handicapped parking sign at 46 Sycamore street	Signs	Mike Simon	Street Maintenance	10/3/2016	
9/29/2016	Resolution 197		remove handicapped parking sign at 240 Foxhall Avenue	Signs	Mike Simon	Street Maintenance	10/3/2016	
9/29/2016	Resolution 198		Remove handicapped parking sign at 34 Gage Street	Signs	Mike Simon	Street Maintenance	10/3/2016	
9/29/2016	Resolution 200		remove handicapped parking sign at 45 Sycamore Street	Signs	Mike Simon	Street Maintenance	10/3/2016	
9/29/2016	Engineering		trim tree at Norht Front St. parking lot for contractor	Trees	Ed Boyle	Street Maintenance	9/29/2016	
9/29/2016			cut down 2 dead trees in front of 79 N. Front St.	trees	Ed Boyle	Street Maintenance	9/29/2016	
9/29/2016			trim trees on Broadway & Grand St.	Trees	Ed Boyle	Street Maintenance	9/29/2016	
10/3/2016	Joe Chenier		Linderman Ave @ Washington Ave - paint crosswalks and stop bars	crosswalk		Street Maintenance		
10/3/2016	Joe Chenier		Stump Grinding at S. Sterling and Pine Grove Ave.	Trees		Street Maintenance		
10/5/2016	Resolution 211		repeal handicapped parking sign at 10 Van Deusen Street	signs	Mike Simon	Street Maintenance		
10/5/2016	Resolution 212		Add one handicapped parking sign at 612 Delaware Avenue	Signs	Mike Simon	Street Maintenance	11/7/2016	markout for signs completed on 10/31/16; Dig Safely #10286-54-202
10/5/2016	Resolution 213		add STOP sign at Ridge and German Street	Signs	Mike Simon	Street Maintenance	10/28/2016	
10/5/2016	Mayor Noble		start clean up at Kings Inn - cut trees and brushes, cut blacktop and put in top soil		Ed Boyle	Street Maintenance	10/6/2016	

WORK ORDER LOG

<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
10/5/2016	Mayor Noble		Kings Inn - install 3 No Parking Signs (Per JC)	Signs	Ed Boyle	Street Maintenance	10/5/2016	
10/5/2016			work on track removal at Prospect & Greenkill		Ed Boyle	Street Maintenance	10/6/2016	
10/5/2016			Hook up temp electric at Forsyth Park for fall festival	electrical	Ed Boyle	P & R	10/7/2016	
10/6/2016	Mayor Noble		Kings Inn - plant grass seed, blacktop where pool was backfilled, finish clean up parking lot area, replant 3 pine trees from Kings Inn to ball field on Clinton		Ed Boyle	Street Maintenance	10/6/2016	
10/6/2016	Mayor Noble		Kings Inn - catch basin Repair start		Ed Boyle	Street Maintenance	10/7/2016	
10/6/2016	Kingston Green Line		Clean track (walk path) between Delaware & 3rd Ave		Ed Boyle	Street Maintenance	10/6/2016	
10/6/2016			2 trees ??????????????		Ed Boyle	Street Maintenance	10/6/2016	
10/6/2016			pull pump at Jane St. Pump Station	Misc.	Ed Boyle	Sewer	10/6/2016	
10/6/2016			take tote to Forsyth Park for Fall Fest and Italian Fest		Ed Boyle	sanitation	10/6/2016	
10/7/2016			set up for Italian Festival - cones, barricades, no parking signs (5 men all day)		Ed Boyle	Street Maintenance	10/7/2016	
10/8/2016	Joe Chenier		Pick up Trash at Uptown O+ Festival	Trash p/u	Mike MacCreery	sanitation	10/8/2016	Trash cans overflowing at North Front St. and Wall St. Packer and crew dispatched
10/10/2016	Engineering		Hook up Conduit at Uptown Parking lot for Baker Bros. sdwlk installation	electrical	Ed Boyle		10/10/2016	Install conduit so contractor could pour sidewalk, work not included in contract for parking lots
10/10/2016	Parks and Rec		Clean up after Italian Fest - Trash blowing around all over	Sanitation	Mike MacCreery	sanitation	10/10/2016	Columbus day work done on OT
10/11/2016	Mayor Noble/K Wilson		Lay out for Connectivity Project - Foxhall to Jansen	Line Striping	Ed Boyle	Street Maintenance	10/11/2016	
10/11/2016			Trim trees on Jefferson at Roosevelt	Tree Trimming	Mike Simon	Street Maintenance	10/11/2016	
10/11/2016			Pick up barricades, No Parking Signs, flags on poles form Italian Festival	Special Event	Mike Simon	Street Maintenance	10/11/2016	
10/11/2016	Joe Chenier		Investigate "sink hole" at 17 Washington Avenue at corner of property	sinkhole	Josh Williams	Sewer	10/12/2016	catch basin in close proximity in good condition, pipe in good condition. Filled with top soil and reseeded. Will monitor situation
10/11/2016	Joe Chenier		1 Becket Street to Arlmont St. - numerous potholes to patch	potholes	Mike Simon	Street Maintenance		
10/11/2016	John Tuey		New meter poles requested at 309, 310 & 312 Fair Street	Meter pole	john filocco	Street Maintenance	10/27/2016	
10/11/2016	John Tuey		new meter poles requested at 57, 111 & 119 North Front Street	Meter pole	john filocco	Street Maintenance		
10/11/2016	John Tuey		new meter pole requested at 280 Wall Street	Meter pole	john filocco	Street Maintenance	10/27/2016	
10/12/2016	Mayor Noble/K Wilson		Lay out for Connectivity Project - Foxhall to Cornell	Line Striping	Ed Boyle	Street Maintenance	10/12/2016	
10/13/2016	Engineering		Deliver guard rail to Baker Bros. at N. Front Street Parking lot				10/13/2016	
10/13/2016	Joe Chenier		Adjust timing for School traffic signal at Washington	Traffic Signal	Ed Boyle	Electrical		
10/13/2016	Joe Chenier		Greenkill and Wilbur Traffic signal in Flash mode	Traffic Signal	Ed Boyle	Electrical	10/13/2016	Recurring issue. Reset 10/24
10/13/2016	Mayor Noble/K Wilson		Connectivity project Layout; Paint yellow lines Foxhall to Cornell	Line Striping	Ed Boyle	Street Maintenance	10/13/2016	
10/14/2016			Empty 3 boxes at Transfer Station		Ed Boyle	sanitation	10/14/2016	
10/14/2016	Tony Davis		Install 11 Stop bars in Norht Manor / Roosevelt Park area	Line Striping	Ed Boyle	Street Maintenance	10/17/2017	
10/15/2016			Light Stuck on Clinton Ave and Franklin St., Put in light Bulb and got working	Traffic Signal	Ed Boyle	Electrical		9:51
10/17/2016			Fix Street Sign at Hunter and Wurts	Street Sign	Ed Boyle	Street Maintenance	10/17/2016	
10/17/2016			Install 6 light bulbs at Pike Plan - 360-380 Wall St.	electrical	Ed Boyle	Electrical	10/17/2016	
10/17/2016			Replace green light at Washington and Main St.	Traffic Signal	Ed Boyle	Electrical	10/17/2016	
10/17/2016	Mayor Noble/K Wilson		Linestriping for Connectivity Project-Ten Broeck Ave, 2 Blocks on Cornell St.	Line Striping	Ed Boyle	Street Maintenance	10/17/2016	
10/20/2016	Tom Tiano/Tony Davis	2016-10-002	Cars are cutting through from Teller Street to Foxhall thru abandoned lot. Snow fence or other barrier was requested at this location	Misc.	Ed Boyle	Street Maintenance	10/27/2016	
10/24/2016	Tasyka DeRosalia	2016-10-001	Repair / Inpsect 3 CBs at Linderman Ave./Twin Ponds Drive behind condos	Catch Basin Repair	Josh Williams	Sewer	10/26/2016	
10/25/2016	Joe Chenier	2016-10-003	installation of ADA parking signs at both North Front St. Lot and "No Parking Anytime" signs as per the attached letter	Signs	Mike Simon	Street Maintenance	11/3/2016	
10/25/2016	Resolution129	2016-10-004	Install Handicapped parking sign at 46 Pine Grove Avenue	Signs	Mike Simon	Street Maintenance	11/3/2016	Dig Safely #10266-540-008
10/20/2016	Diane Bergquist	2016-10-005	Replace stop sign post and break-away hardware at SE corner of Florence at Hayes	Signs	Mike Simon	Street Maintenance	10/28/2016	

WORK ORDER LOG

<u>Date Request</u> <u>Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
10/17/2016	Ed Boyle	2016-10-006	Move handicap sign and post at 2 Post St	Sign	Mike Simon	Street Maintenance	10/31/2016	
10/26/2016	Ed Boyle	2016-10-007	Install 3 signs and 2 meter pole along curb line N Front St. at Redwood lot	Signs	Mike Simon	Street Maintenance	11/1/2016	Dig Safely #10256-540-050
10/26/2016	Edel Ward	2016-10-008	Replace and install stop sign at NW corner of Tremper @ Elmendorf	Sign	Mike Simon	Street Maintenance	10/28/2016	
10/28/2016	Ed Boyle	2016-10-009	Dead skunk on Wilbur Ave by incinerator / by Greenkill	dead animal	Mike Simon	sanitation	10/28/2016	
10/3/2016	Dispatch		hung up papper caddy at entrance	misc.	Chris Turco	Carpenter	10/3/2016	
10/3/2016	Paint Shop/signs		mounted 3 signs to wall by city hall	signs	Chris Turco	Carpenter	10/3/2016	
10/6/2016			fixed benches at Rondout	Carpentry	Chris Turco	Carpenter	10/6/2016	
10/12/2016	Parks and Rec		fabricated and painted flashing for doors	carpentry	Chris Turco	carpenter	10/12/2016	
10/13/2016	Parks and Rec		fabricated wood parts, painted and installed	Carpentry	Chris Turco	Carpenter	10/13/2016	
10/13/2016	Civil Service		fixed Jackie's door	Carpentry	Chris Turco	Carpenter	10/13/2016	
10/14/2016	Water Department		cut and installed rafters over ext. storage	Carpentry	Chris Turco	Carpenter	10/14/2016	
10/14/2016	Civil Service		1st coat skim on wall and patch around door	Carpentry	Chris Turco	Carpenter	10/14/2016	
10/17/2016	Civil Service		2nd coat on wall by swing door	Carpentry	Chris Turco	Carpenter	10/17/2016	
10/17/2016	Street Crew		sourced and picked up wood for sideboards on truck 31	Carpentry	Chris Turco	Carpenter	10/17/2016	
10/18/2016	Street Crew		installed sideboards on truck 31	Carpentry	Chris Turco	Carpenter	10/18/2016	
10/18/2016	Diane Bergquist		installed new keyed lock entry at back door of DPW office (fire escape)	Carpentry	Chris Turco	Carpenter	10/18/2016	
10/18/2016	Civil Service		3rd coat on wall by door	Carpentry	Chris Turco	Carpenter	10/18/2016	
10/19/2016	Street Crew		distributed 2 x 4 steps to put in front of driveways for paving	Carpentry	Chris Turco	Carpenter	10/19/2016	
10/19/2016			fixed 3 shovels	Carpentry	Chris Turco	Carpenter	10/19/2016	
10/20/2016	Civil Service		did final sanding and cleanup on patch by swing door	Carpentry	Chris Turco	Carpenter	10/20/2016	
10/20/2016	Assessor's Office		Moved light switch to higher position for Dan	electrical	Chris Turco	Carpenter	10/20/2016	
10/20/2016	Assessor's Office		fixed ballast on light	electrical	Chris Turco	Carpenter	10/20/2016	
10/25/2016	Dispatch		purchased door and parts for door install	Carpentry	Chris Turco	Carpenter	10/25/2016	
10/26/2016	Dispatch		mortised hinges & latch for doors, primed & painted door	Carpentry	Chris Turco	Carpenter	10/26/2016	
10/27/2016	Civil Service		fixed entry countertop	Carpentry	Chris Turco	Carpenter	10/27/2016	
10/27/2016	Dispatch		installed new door	Carpentry	Chris Turco	Carpenter	10/27/2016	
10/28/2016	Dispatch		moved dry erase board and key rack	Misc.	Chris Turco	Carpenter	10/28/2016	
10/28/2016			ran computer cable for carpenter's desk	electrical	Chris Turco	Carpenter	10/28/2016	
10/14/2016			install new pole and stop sign at corner of Elmendorf & S. Manor	Signs	Mike Simon	Street Maintenance	10/31/2016	dig safely 10136-542-009
10/14/2016			install stop sign at corner of Elmendorf & S. Manor	Signs	Mike Simon	Street Maintenance	10/31/2016	dig safely 10136-542-010
10/14/2016			install new pole and stop sign at corner of Elmendorf & Smith	Signs	Mike Simon	Street Maintenance	10/31/2016	dig safely 10136-542-011
10/19/2016			S Clinton, S Prospect, N Wilbur & Gage - milled and haul millings	Paving	Ed Boyle	Street Maintenance	10/19/2016	
10/20/2016			Installed new stop sign at S. Prospect and Greenkill	Signs	Mike Simon	Street Maintenance	10/20/2016	
10/21/2016			finish N. Wilbur paving (305 tons) and Gage St. (348 tons)	Paving	Ed Boyle	Street Maintenance	10/21/2016	
10/21/2016			S Clinton & S Prospect - put down 188 tons of binder and 375 tons of black top. N Wilbur only T & L on street 75 ton??	Paving	Ed Boyle	Street Maintenance	10/21/2016	
10/22/2016			installed new stop sign at Prosect and Cedar St.	signs	Mike Simon	Street Maintenance	10/27/2016	
10/25/2016		2016-10-010	Cornell - Foxhall, finished up painting for the Kingston Connectivity Project	Line Striping	Ed Boyle	Street Maintenance	10/25/2016	
10/25/2016		2016-10-011	Uptown parking lot (Redwood Side)- put in electric stanchion	electrical	Ed Boyle	Street Maintenance	10/25/2016	
10/25/2016		2016-10-012	Lucas Ave - Forsyth Park - unhooked electric panel box with Jim Carey	electrical	Ed Boyle	Street Maintenance	10/25/2016	
10/25/2016		2016-10-013	Lucas Ave - Voorhees-Burhans painted crosswalk on Lucas for Congregation Agudas	Line Striping	Ed Boyle	Street Maintenance	10/25/2016	

WORK ORDER LOG

<u>Date Request</u> <u>Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
10/25/2016		2016-10-014	W. O'Reilly Street (Central FireHouse) - moved old air compressor with fork lift and 1 ton dump - brought to junkyard	Misc.	Ed Boyle	Street Maintenance	10/25/2016	
10/26/2016		2016-10-015	St. James St. - Installed 2 "No Dumping" signs in parking lot of People's Place	Signs	Ed Boyle	Street Maintenance	10/26/2016	
10/26/2016		2016-10-016	Uptown parking lot (Redwood Side)- installed stop sign & rules sign	Signs	Ed Boyle	Street Maintenance	10/26/2016	
10/27/2016		2016-10-017	KPD - reported strong sewer smell in catch basin in back parking lot. Could not find anything, but did clean pipes and basin with vactor jet	Sewer odor	Ed Boyle	Sewer	10/27/2016	
10/27/2016		2016-10-018	558 Broadway at Thomas Street - markout for bridge work	Markout	Josh Williams	Markout	10/27/2016	
10/28/2016		2016-10-019	Brook maintenance, weed wack at Brook St., old cigar factory and grate in cemetery	Misc.	Josh Williams	Sewer	10/28/2016	
10/28/2016	Ed Boyle	2016-10-020	picked up all trash and raked hay at Kings Inn parking lot and sweeper 62 swept	Trash p/u	Mike Simon	Street Maintenance	10/28/2016	spoke to the person that rents Kings Inn, hay by the door was told to leave it there, they put it down for the mud at the first event they had on 10/27/16
10/28/2016		2016-10-021	replaced "no parking" signs at 56, 68, 76 & 77 German Street	Signs	Mike Simon	Street Maintenance	10/28/2016	
10/28/2016		2016-10-022	patched two large washouts on Condi & Albert Street	potholes	Mike Simon	Street Maintenance	10/28/2016	
10/28/2016		2016-10-023	patched hole at 397 Albany Avenue	potholes	Mike Simon	Street Maintenance	10/28/2016	
10/28/2016		2016-10-024	patched old sink hole at 180 Downs Street	potholes	Mike Simon	Street Maintenance	10/28/2016	
10/28/2016		2016-10-025	patched old cut at 401 Delaware Avenue	potholes	Mike Simon	Street Maintenance	10/28/2016	
10/28/2016		2016-10-026	Sweeper 61 swept lower Broadway, Ferry St., Dock St., E. & W. Strand, Garraghan Dr., Leonard VanDyke, Police Station, Ardsley St. & Tremper Ave.	Sweeper	Mike Simon	Street Maintenance	10/28/2016	worked on truck for 1/2 hour cleaning it out
10/28/2016	Joe Chenier	2016-10-027	purchased & installed two new faucet fixtures for bathroom and garage at DPW building	Carpentry	Chris Turco	Carpenter	10/31/2016	
10/28/2016	Water Department	2016-10-028	water main break at Henry St. & Prospect St.	Water Main Break	john filocco	Sewer	10/28/2016	
10/28/2016	DSNY	2016-10-029	markout at Henry St. & Prospect St. for water main repair	Markout	Josh Williams	Sewer	10/28/2016	
10/28/2016	Service	2016-10-030	220 N. Manor Avenue at Charlotte Ave. - sewer backup, jet line to clear blockage	Back up	Josh Williams	Sewer	10/28/2016	
10/28/2016	DSNY	2016-10-031	284 Plaza Road - markout for bypass pumping system	Markout	Josh Williams	Sewer	10/31/2016	Dig safely #10286-207-017-00
10/28/2016	DSNY	2016-10-032	311 Wall Street - markout for new sewer line and adjustment in water line	Markout	Josh Williams	Sewer	10/31/2016	Dig safely #10286-139-030-00
10/28/2016		2016-10-033	routine manhole inspections - wash and vac manholes as necessary	Manhole Inspection	Josh Williams	Sewer	10/28/2016	
10/28/2016		2016-10-034	Summer St. & Susan St. Intersection - catch basin in need of repair; cone in place until repairs can be made	Catch Basin Inspection	Josh Williams	Sewer	10/28/2016	See W/O 2016-10-048 for repair
10/28/2016		2016-10-035	Furnace St. @ Center St. - replace manhole ring that was broken and sitting above road level	MH Cover Replacement	Josh Williams	Sewer	10/28/2016	
10/28/2016		2016-10-036	KPD - catch basin in parking lots needs brick work	Catch Basin Inspection	Josh Williams	Sewer		
10/28/2016		2016-10-037	Delaware Ave, Grove St. & Crane St. - met with Callanan and Mullens on 3 streets that they have to mill and pave because of installing gas main on newly paved streets.1) All of Grove 2) Delaware between Lindsley & North 3) 2 blocks of Crane - Grove to Walnut	Misc.	Ed Boyle	Street Maintenance	10/28/2016	
10/28/2016		2016-10-038	picked up pile of brush on Hooker St. from tree branch that fell overnight	Trees	Mike Simon	Street Maintenance	10/28/2016	
10/28/2016		2016-10-039	Forsyth Park - Lucas Ave - brought up tower light to park for Boo In The Zoo	Misc.	Ed Boyle	Street Maintenance	10/28/2016	
10/28/2016		2016-10-040	Moved 2 soda machines and 1 candy machine out into gym at Midtown Rec Center	Misc.	Ed Boyle	Street Maintenance	10/28/2016	
10/31/2016		2016-10-041	traffic light at Wilbur Ave. & Greenkill on flash, got it work cycle	Traffic Signal	Ed Boyle	Electrical	10/31/2016	
10/31/2016		2016-10-042	235 Main Street/Sharon/Johnston Ave. Markout for gas service	Markout	Ed Boyle	Sewer	10/31/2016	
10/31/2016		2016-10-043	73 Lafayette St at Lucas Ave - markout for gas service	Markout	Ed Boyle	Sewer	10/31/2016	
10/31/2016		2016-10-044	99 Harding Ave / Savoy - Albany Ave - addition back of house	Markout	Ed Boyle	Sewer	10/31/2016	Dig safely #10296-222-002
10/31/2016		2016-10-045	1 Melvin Drive at West Chestnut - markout for new gas service	Markout	Ed Boyle	Sewer	10/31/2016	Dig safely #10276-542-162
10/31/2016		2016-10-046	256 Hasbrouck Ave markout clean wooded area	Markout	Ed Boyle	Markout	10/31/2016	Dig Safely #10286-542-205
10/31/2016		2016-10-047	26 Wynkoop markout for gas leak	Markout	Ed Boyle	Sewer	10/31/2016	Dig Safely #10286-542-247-00

WORK ORDER LOG

<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
10/31/2016		2016-10-048	Summer St. & Susan St. Intersection - catch basin repaired, reset frame & grate	Catch Basin Repair	Josh Williams	Sewer	10/31/2016	
10/31/2016		2016-10-049	unloaded some light fixtures at transfer station for uptown parking lots	Misc.	Ed Boyle	Street Maintenance	10/31/2016	
10/31/2016		2016-10-050	Broadway underpass. Met with Engineering Dept. about electric in bridge abutment, could not find where was going??	Misc.	Ed Boyle	Electrical	10/31/2016	
10/31/2016		2016-10-051	21 Amy Court emergency markout for Ch electric lines	Markout	Ed Boyle	Electrical	10/31/2016	
10/31/2016		2016-10-052	Frog Alley Fire Station at Schwenk Drive, possible sewer backoup, line was open but jetted as a courtesy, plumber on site	Back up	Josh Williams	Sewer	10/31/2016	
10/31/2016		2016-10-053	Sweeper 61 swept Clinton Ave Ext., Schwenk Dr., Washington Ave., Grama Brown Ln., Frog Alley, Fair St. Ext., Smith Ave., Henry St., Bruyn Ave.	Sweeper	Mike Simon	Street Maintenance	10/31/2016	
10/31/2016		2016-10-054	N. Manor Ave at Charlotte, inspect & clean all sanitary manholes as necessary	Manhole Inspection & repair	Josh Williams	Sewer	10/31/2016	
10/31/2016		2016-10-055	Dietz Stadium - haul millings from Stadium to Wilbur Ave	Misc.	Josh Williams	Street Maintenance	10/31/2016	
10/31/2016		2016-10-056	Susan St. & Summer St. - vac out catch basin for repair	Catch Basin Repair	Josh Williams	Sewer	10/31/2016	
10/31/2016		2016-10-057	Clean debris off catch basin on South Wall Street	Catch Basin	Lou Fabiano	Sewer	10/31/2016	
10/31/2016		2016-10-058	Clean debris off catch basin on Albert Street	Catch Basin	Lou Fabiano	Sewer	10/31/2016	
10/31/2016		2016-10-059	Put up no parking sign on Broadway - Cedar to Pine Grove, Thomas to Dedrick	Signs	Lou Fabiano	Street Maintenance	10/31/2016	
10/31/2016		2016-10-060	fuel loader at Stadium	Misc.	Lou Fabiano	Street Maintenance	10/31/2016	
11/1/2016		2016-11-061	reset traffic light at Broadway & E. Chester, was on flash; did not find anything wrong	Traffic Signal	Ed Boyle	Electrical	11/1/2016	
11/1/2016		2016-11-062	Helped KPD with bucket truck to reset camera on telephone pole at Franklin & Clinton (surveillance)	Misc.	Ed Boyle	Electrical	11/1/2016	
11/1/2016		2016-11-063	26 Wynkoop - met with CH and Mullens about excavating the cobblestone street - gas leak	Misc.	Ed Boyle	Sewer	11/1/2016	
11/1/2016		2016-11-064	Sweeper 61 - swept both sides of Albany Avenue	Sweeper	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-065	Sweeper 61 - swept both sides of Interchange	Sweeper	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-066	Sweeper 62 - swept both sides of Wilson Ave	Sweeper	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-067	Sweeper 62 - swept both sides of Charlotte St.	Sweeper	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-068	Sweeper 62 - swept both sides of Kiersted Ave.	Sweeper	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-069	Sweeper 62 - swept both sides of Roosevelt Ave.	Sweeper	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-070	Sweeper 62 - swept both sides of Manor Place	Sweeper	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-071	Sweeper 62 - swept both sides of Manor Ave.	Sweeper	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-072	Sweeper 61 - cleaned up mess on Smith & Grand from spillage from packer	Sweeper	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-073	Sweeper 61 - swept both sides of Brown Ave.	Sweeper	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-074	Sweeper 61 - swept both sides of S. Manor Ave.	Sweeper	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-075	Sweeper 61 - swept both sides of Ten Broeck Ave	Sweeper	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-076	Called KPD to help get a skunk out of DPW sign garage office	Animal	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-077	Susan St. & Summer St. - patched & repaired/capped catch basin	Catch Basin Repair	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-078	Susan St. -patched old rough cuts along street	potholes	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016	DSNY	2016-11-079	49-57 Cornell Street by Tremper - markout for gas service install	Markout	Josh Williams	Sewer	11/2/2016	Dig Safely #11016-542-198-00.
11/1/2016		2016-11-080	Furnace Street - patched cut	potholes	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016		2016-11-081	Furnace Street - patched new manhole	Manhole repair	Mike Simon	Street Maintenance	11/1/2016	
11/1/2016	Water Department	2016-11-082	Harwich St. @ Albany Ave. - camera storm line to look for water main break, went to Wrentham St. did not find anything	Water Main Break	Ed Boyle	Sewer	11/1/2016	
11/1/2016		2016-11-083	picked up light tower from Forsyth Park	Misc.	Ed Boyle		11/1/2016	

WORK ORDER LOG

<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
11/1/2016		2016-11-084	markout at 15-17 Railroad Ave - digging electric trench in parking lot	Markout	Ed Boyle	Electrical	11/1/2016	
11/1/2016		2016-11-085	Washington Ave @ Linderman - exercised bypass pump	Sewer	Josh Williams	Sewer	11/1/2016	
11/1/2016		2016-11-086	Second Ave & Delaware Ave - Clean catch basin - needs repair work	Catch Basin Inspection	Josh Williams	Sewer	11/1/2016	
11/1/2016		2016-11-087	82 1st Ave. at Cross Street - clean catch basin - needs repair work	Catch Basin Inspection	Josh Williams	Sewer	11/1/2016	
11/1/2016		2016-11-088	Cross St at 1st Street - clean catch basin - in good condition	Catch Basin Inspection	Josh Williams	Sewer	11/1/2016	
11/1/2016		2016-11-089	58 Grandview by Millers Lane - emergency markout sewer lateral repair	Markout	Josh Williams	Sewer	11/1/2016	
11/1/2016		2016-11-090	Henry & Prospect - inspected two catch basins, both in need of brick work	Catch Basin Inspection	Josh Williams	Sewer	11/1/2016	
11/1/2016		2016-11-091	N. Manor Ave at Charlotte -inspected manhole in intersection - following up on previous sewer call. Main running as it should	Manhole Inspection	Josh Williams	Sewer	11/1/2016	
11/1/2016		2016-11-092	380 Flatbush Ave. markout for sewer line replacement	Markout	Josh Williams	Sewer	11/1/2016	
11/1/2016		2016-11-093	Flatbush & Tietjen routine manhole inspection - everything as should be	Manhole Inspection	Josh Williams	Sewer	11/1/2016	
11/1/2016		2016-11-094	bolts out of catch basin on Albany Ave to camera???????????????	Catch Basin Inspection	Lou Fabiano	Sewer	11/1/2016	
11/2/2016		2016-11-095	30 2nd Ave. - cleaned catch basin	Catch Basin Inspection	Josh Williams	Sewer	11/2/2016	
11/2/2016		2016-11-096	60 2nd Ave. - cleaned catch basin	Catch Basin Inspection	Josh Williams	Sewer	11/2/2016	
11/2/2016		2016-11-097	1 Florence Street @ Stephan, possible sewer backup - jetted line, all clear	Back up	Josh Williams	Sewer	11/2/2016	
11/2/2016		2016-11-098	Loughran Ct., Lounsbury Pl - brook maintenance	Misc.	Josh Williams	Sewer	11/2/2016	brush hog & trim near holding pond and brook grate
11/2/2016		2016-11-099	74 Abruyn Ave at Walnut St. - catch basin repair	Catch Basin Repair	Josh Williams	Sewer	11/2/2016	
11/2/2016	Parks and Rec	2016-11-100	Upper Hasbrouck, Beach & Loughran Park - Vac fluids solar bathrooms	Sewer	Josh Williams	Sewer	11/2/2016	
11/2/2016		2016-11-101	Ten Broeck & Elmendorf - routine manhole inspection - everything ok	Manhole Inspection	Josh Williams	Sewer	11/2/2016	
11/2/2016		2016-11-102	Maiden Lane & Pine St. - routine manhole inspection	Manhole Inspection	Josh Williams	Sewer	11/2/2016	
11/2/2016		2016-11-103	Cornell Street - finished painting double yellow from Progress to S. Manor	Line Striping	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-104	Wall St. & North Front - painted 2 "STOP" on Wall st., 1 "STOP" on N Front by wall, and 1 STOP on N. Front by old parking garage	Line Striping	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-105	paint STOP on street at intersections of Wall & John	Line Striping	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-106	patched potholes on Washington Avenue, Summer Street and Sterling	potholes	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-107	Sweeper 62 - swept Pearl Street from Green to City line, both sides. 3 loads of leaves	Sweeper	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-108	Sweeper 61 - swept Main Street from Wall to Grandview, both sides, 2 loads of leaves	Sweeper	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-109	Sweeper 61 - swept uptown business district - Clinton, Fair, N. Front, Main, John, Pearl, Crown, Maiden & Wall St	Sweeper	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-110	Sweeper 62 - swept Mary's Ave both sides	Sweeper	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-111	Sweeper 62 - swept both sides of Linderman Ave.	Sweeper	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-112	Sweeper 62 - swept both sides of Delta	Sweeper	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-113	Sweeper 62 - swept both sides of Conway	Sweeper	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-114	Sweeper 62 - swept both sides of Hewitt ST.	Sweeper	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-115	Sweeper 62 - swept both sides of Josephine	Sweeper	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-116	Sweeper 62 - swept both sides of Marius	Sweeper	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-117	Sweeper 62 - swept both sides of Glenn St.	Sweeper	Mike Simon	Street Maintenance	11/2/2016	

WORK ORDER LOG

<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
11/2/2016		2016-11-118	Sweeper 62 - swept both sides of Klingsburgh Ave.	Sweeper	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-119	Sweeper 62 - swept both sides of Pettit Ave.	Sweeper	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-120	Delaware Ave. - trees fell, cut up and took away 2 dead trees that fell in street just past firehouse	Trees	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-121	Redwood parking lot - reinstalled guard rail, replaced missing bolts and cut up bent rail	Misc.	Mike Simon	Street Maintenance	11/2/2016	
11/2/2016		2016-11-122	St. James St/ Wall/Fair/Main - fuel pump on Washington Ave & start it. Contractor called engineer for bluestone curbing and mh riser 24" for Prince St.	Misc.	Lou Fabiano	Sewer	11/2/2016	
11/3/2016		2016-11-123	Markout on Grand St. at Prince/Hasbrouck	Markout	Ed Boyle	Sewer	11/3/2016	Dig Safely #11026-540-024
11/3/2016		2016-11-124	markout on Grand St. -Smith to Hasbrouck	Markout	Ed Boyle	Sewer	11/3/2016	Dig Safely #11026-540-025
11/3/2016		2016-11-125	markout at 94 Stephan St. by Derrenbacher	Markout	Ed Boyle	Sewer	11/3/2016	Dig Safely #11026-540-032
11/3/2016		2016-11-126	Broadway - Henry St. to Interchange - took all American Flags down (dirty & ripped)	Misc.	Ed Boyle	Street Maintenance	11/3/2016	
11/3/2016		2016-11-127	City Hall - helped Jim Carey with outside electric - no lights on flags	electrical	Ed Boyle	Electrical	11/3/2016	
11/3/2016		2016-11-128	Jansen, Foxhall, Ten Broeck, Cornell - Marked out all sign to be called in 811 for Kingston Connectivity Project	Signs	Ed Boyle	Street Maintenance	11/3/2016	
11/3/2016	Ralph Swenson	2016-11-129	Clifton Ave. flush sewer line for camera inspection	sewer	Josh Williams	Sewer	11/3/2016	
11/3/2016		2016-11-130	9 Court Ave. by Boulder Ave - routine manhole inspection, everything good	Manhole inspection	Josh Williams	Sewer	11/3/2016	
11/3/2016		2016-11-131	Downs, Flatbush & N. Manor - routine manhole cleaning	Manhole inspection	Josh Williams	Sewer	11/3/2016	
11/3/2016		2016-11-132	Delta, Lounsbury, Lafayette, Navarra - inspect brooks, clean up debris off grates	Catch Basin Inspection	Josh Williams	Sewer	11/3/2016	
11/3/2016		2016-11-133	Clean debris off catch basins on Delaware, Lindsley, North St., Crane, Grove, Walnut, Abryun, Dock, Abeel and Tremper	Catch Basin Inspection	Lou Fabiano	Sewer	11/3/2016	
11/3/2016		2016-11-134	Sweeper 61- swept both sides of Cedar Street	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-135	Sweeper 61 - swept both sides of Broadway and 1 block off Broadway	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-136	Sweeper 61 - swept City Hall parking lot and around the whole building	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-137	Sweeper 61 - swept both sides of Foxhall Avenue	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-138	Sweeper 61 - swept both sides of W. Chester Street	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-139	Sweeper 61 - swept both sides of E. Chester Street	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-140	Sweeper 61 - swept both sides of Andrew Street	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-141	Sweeper 61 - swept both sides of W. O'Reilly Street	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-142	Sweeper 62 - swept both sides of Pine Grove Avenue	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/7/2016	Resolution 228	2016-11-143	Add Handicapped Parking Sign at 38 Prince Street	Signs	Mike Simon	Street Maintenance		
10/15/2016		2016-11-144	install "no parking" sign at 97 W. Chester Street	signs	Mike Simon	Street Maintenance	11/3/2016	
10/28/2016		2016-11-145	wheels and bars on tote fixed at 54 Montrapose	tote repair	Mike MacCreery	sanitation	10/28/2016	
10/28/2016		2016-11-145	wheels and bars on tote fixed at 300 E. Chester St.	tote repair	Mike MacCreery	sanitation	10/28/2016	
10/28/2016		2016-11-145	wheels and bars on tote fixed at 41 Amsterdam Ave.	tote repair	Mike MacCreery	sanitation	10/28/2016	
10/28/2016		2016-11-145	wheels and bars on tote fixed at 25 Hemlock Lane	tote repair	Mike MacCreery	sanitation	10/28/2016	
10/28/2016		2016-11-145	wheels and bars on tote fixed at 26 VanGaasbeck St.	tote repair	Mike MacCreery	sanitation	10/28/2016	
10/31/2016		2016-11-146	picked up dead skunk at 3rd & Larch	dead animal	Mike MacCreery	sanitation	10/31/2016	
10/31/2016		2016-11-146	broken tote repair at Andrew & Mary's Ave	tote repair	Mike MacCreery	sanitation	10/31/2016	
10/31/2016		2016-11-146	Large TV picked up at 61 Cedar	pick up	Mike MacCreery	sanitation	10/31/2016	
10/31/2016		2016-11-146	Mattress picked up at 90 Furnace	pick up	Mike MacCreery	sanitation	10/31/2016	
11/2/2016		2016-11-147	patching and grinding potholes on Wilbur Ave, hauled 2 loads of grindings and put down 14 ton of blacktop	Paving	Mike Simon	Street Maintenance	11/4/2016	

WORK ORDER LOG

<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
11/2/2016		2016-11-148	Weed wack median at Hurley Avenue	Misc.	Josh Williams	Street Maintenance	11/2/2016	
11/2/2016		2016-11-149	repair catch basin at Henry & Prospect	Catch Basin Repair	Josh Williams	Sewer	11/17/2016	
11/3/2016		2016-11-150	Sweeper 62 swept both sides of dead end at W. Chester	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-151	Sweeper 62 swept both sides of New Street	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-152	Sweeper 62 swept both sides of Montrepose St.	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-153	Sweeper 62 swept both sides of Augusta St.	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-154	Sweeper 62 swept both sides of Orchard St.	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-155	Sweeper 62 swept both sides of W. Chestnut	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-156	Sweeper 61 swept both sides of Johnston Ave	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-157	Sweeper 61 swept one side of Hoffman Street.	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-158	Sweeper 61 swept both sides of Henry St (one block)	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-159	Sweeper 61 swept both sides of Franklin St. (one block)	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-160	Sweeper 61 swept both sides of St. James St. (one block)	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-161	Sweeper 61 swept both sides of Elmendorf St. (one block)	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-162	Sweeper 61 swept both sides of O'Neill St. (one block)	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-163	Sweeper 61 swept both sides of Cornell St. (one block)	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-164	Sweeper 61 swept both sides of Thomas St.	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-165	patched two catch basins on Broadway under Greenkill bridge	paving	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-166	markout for sign post at 100 W. Chester St.	Markout	Josh Williams	Street Maintenance	11/3/2016	Dig Safely #11036-540-091-00
11/3/2016		2016-11-167	markout for gas leak repair at 500 Broadway	Markout	Josh Williams	Sewer	11/4/2016	Dig Safely #11036-542-119-00
11/3/2016		2016-11-168	markout for gas leak repair at 296 Fair Street	Markout	Josh Williams	Sewer	11/3/2016	Dig Safely #11036-542-122
11/3/2016		2016-11-169	markout for gas leak repair at 239 Fair Street	Markout	Josh Williams	Sewer	11/3/2016	Dig Safely #11036-542-124
11/3/2016		2016-11-170	emergency markout at 163 Hurley Avenue for CH pole replacement	Markout	Josh Williams	markout	11/3/2016	Dig Safely #11036-161-026
11/3/2016		2016-11-171	sweeper 61 swept Dedrick Street (one block)	Sweeper	Mike Simon	Street Maintenance	11/3/2016	
11/3/2016		2016-11-172	clean manhole at Coffey Place & Hurley Ave.	Manhole Inspection	Josh Williams	Sewer	11/7/2016	
11/3/2016		2016-11-173	markout for water leak repair at 552 Albany Avenue	Markout	Josh Williams	Sewer	11/4/2016	Dig Safely #11036-198-038-00
11/4/2016		2016-11-174	emergency marking for water main repair at 89 Henry Street	Markout	Josh Williams	Sewer	11/4/2016	Dig Safely #11046-120-011-00
11/4/2016		2016-11-175	sweeper 62 swept both sides of Mary's Ave.	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-176	sweeper 62 swept both sides of Andrew St.	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-177	sweeper 62 swept both sides of W. O'Reilly St.	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-178	sweeper 62 swept both sides of W. Chestnut St.	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-179	sweeper 62 swept both sides of W. Chester St.	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-180	sweeper 61 swept both sides of Cummings Ave.	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-181	sweeper 61 swept both sides of Mountainview Avenue	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-182	sweeper 61 swept both sides of Irving Pl.	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-183	sweeper 61 swept both sides of Lounsbury St.	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016	Joe Chenier	2016-11-184	sweeper 61 swept old parking garage lot, was not able to get what Unit 1 wanted; pictures were taken	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-185	sweeper 61 swept police station	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-186	sweeper 61 swept both sides Leonard Van Dyke Dr.	Sweeper	Mike Simon	Street Maintenance	11/4/2016	

WORK ORDER LOG

<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
11/4/2016		2016-11-187	sweeper 61 swept both sides of Dock Street	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-188	sweeper 61 swept both sides of Garraghan Drive	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-189	sweeper 61 swept both sides of Ferry St.	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-190	sweeper 61 swept both sides lower broadway	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-191	sweeper 61 swept both sides of E. Strand	Sweeper	Mike Simon	Street Maintenance	11/4/2016	
11/4/2016		2016-11-192	markout for sign post at 246 Foxhall St.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-542-175-00
11/4/2016		2016-11-193	markout for sign post at 584 Broadway	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-044-00
11/4/2016		2016-11-194	markout for sign post at 84 Cornell St.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-047-00
11/4/2016		2016-11-195	markout for sign post at 145 Foxhall Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-065-00
11/4/2016		2016-11-196	markout for sign post at E. Chester St. & Jansen Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-094-00
11/4/2016		2016-11-197	markout for sign post at 23 E. Chester St.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-092-00
11/4/2016		2016-11-198	markout for sign post at Jansen Ave & Foxhall Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-091-00
11/4/2016		2016-11-199	markout for sign post at Jansen Ave & Foxhall Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-090-00
11/4/2016		2016-11-200	markout for sign post at Jansen Ave & Foxhall Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-087-00
11/4/2016		2016-11-201	markout for sign post at Jansen Ave & Foxhall Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-088-00
11/4/2016		2016-11-202	markout for sign post at Jansen Ave & Foxhall Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-086-00
11/4/2016		2016-11-203	markout for sign post at 368 Broadway	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-085-00
11/4/2016		2016-11-204	markout for sign post at Foxhall Ave. & Jansen Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-083-00
11/4/2016		2016-11-205	markout for sign post at Foxhall Ave. & Jansen Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-079-00
11/4/2016		2016-11-206	markout for sign post at 43 Foxhall Ave. at Highland Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-075-00
11/4/2016		2016-11-207	markout for sign post at Foxhall Ave. & Jansen Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-077-00
11/4/2016		2016-11-208	markout for sign post at 62 Foxhall Ave at Highland Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-076-00
11/4/2016		2016-11-209	markout for sign post at 55 Foxhall Ave at Highland Ave.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-074-00
11/4/2016		2016-11-210	markout for sign post at 124 Foxhall Ave at Garden St.	Markout	Josh Williams	Street Maintenance	11/7/2016	Dig Safely #11046-540-068-00
11/4/2016	Ralph Swenson	2016-11-211	Clifton Ave. flush sewer line again for camera inspection	Sewer	Josh Williams	Sewer	11/4/2016	
11/4/2016		2016-11-212	Routine manhole inspections - clean as necessary at Laffayette, Court, Fairview & Apple St.	Manhole Inspection & repair	Josh Williams	Sewer	11/4/2016	
11/7/2016		2016-11-213	22-32 S. Sterling by Summer St. Markout for fence install and removing stumps	Markout	Josh Williams	markout	11/9/2016	
11/7/2016		2016-11-214	start getting Christmas lights ready to go out.....	Misc.	Ed Boyle		11/7/2016	
11/7/2016		2016-11-215	Gallo Park - drain water, took apart fountain and stored under tarp at park	Misc.	Ed Boyle	Parks & Rec	11/7/2016	Lou Fabiano worked with Ed on this
11/7/2016		2016-11-216	Washington Ave sinkhole - took discharge pipe apart, put across street in lot across from 107 Washington, moved 8" pipe so contractor can load up and take it away	Misc.	Ed Boyle	Sewer	11/7/2016	
11/7/2016		2016-11-217	traffic light at Wilbur Ave. & Greenkill on flash, got it work on cycle	Traffic Signal	Ed Boyle	Electrical	11/7/2016	
11/7/2016		2016-11-218	removed docks from water at East Strand and put on ground	Docks	Ed Boyle	Carpenter	11/7/2016	Lou Fabiano worked with Ed on this
11/4/2016		2016-11-219	Harding Ave. Pump House - tearing off and re-roof pump house	Building Maintenance	Chris Turco	Carpenter	11/7/2016	
11/7/2016		2016-11-220	markout at 84 Cornell St.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-047
11/7/2016		2016-11-221	markout at 139 Cornell St.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-051
11/7/2016		2016-11-222	markout at 64 Foxhall Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-073
11/7/2016		2016-11-223	markout at 74 Foxhall Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-072
11/7/2016		2016-11-224	markout at 87 Foxhall Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-070

WORK ORDER LOG

<u>Date Request</u> <u>Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
11/7/2016		2016-11-225	markout at 77 Foxhall Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-071
11/7/2016		2016-11-226	markout at 115 Foxhall Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-069
11/7/2016		2016-11-227	markout at 118 Foxhall Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-067
11/7/2016		2016-11-228	markout at 131 Foxhall Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-066
11/7/2016		2016-11-229	markout at 144 Foxhall Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-064
11/7/2016		2016-11-230	markout at 152 Foxhall Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-063
11/7/2016		2016-11-231	markout at 162 Foxhall Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-062
11/7/2016		2016-11-232	markout at 62 Ten Broeck Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-061
11/7/2016		2016-11-233	markout at 24 Ten Broeck Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-060
11/7/2016		2016-11-234	markout at 87 Ten Broeck Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-058
11/7/2016		2016-11-235	markout at 34 Ten Broeck Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-057
11/7/2016		2016-11-236	markout at 9 Ten Broeck Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-056
11/7/2016		2016-11-237	markout at 5 Ten Broeck Ave.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-055
11/7/2016		2016-11-238	markout at 165 Cornell St.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-054
11/7/2016		2016-11-239	markout at Progress St. @ S. Manor & Ten Broeck	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-053
11/7/2016		2016-11-240	markout at Progress St. @ Cornell & Ten Broeck	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-052
11/7/2016		2016-11-241	markout at 84 Cornell St.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-046
11/7/2016		2016-11-242	markout on Bruyn Ave. at Cornell St.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-048
11/7/2016		2016-11-243	markout on 138 Cornell St.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-050
11/7/2016		2016-11-244	markout on Tremper Ave. at Cornell St.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-045
11/7/2016		2016-11-245	markout on Cornell St. between Saccoman & Tremper	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-043
11/7/2016		2016-11-246	markout at 25 Cornell St.	Markout	Ed Boyle	Street Maintenance	11/7/2016	Dig Safely #11046-540-041
11/7/2016	Ralph Swenson	2016-11-247	295 Flatbush Ave, sewer backup, manhole surcharged, jetted line to clear blockage	Back up	Josh Williams	Sewer	11/7/2016	
11/7/2016		2016-11-248	markout at 552 Albany Ave, emergency markout for water line repair	Markout	Josh Williams	Sewer	11/7/2016	Dig Safely #11076-187-022-00
11/7/2016		2016-11-249	Washington & Linderman - jet bypass line to run rope through	Misc.	Josh Williams	Sewer	11/7/2016	
11/7/2016		2016-11-250	Routine manhole inspections on Grand St. & Ten Broeck Ave.	Manhole Inspections	Josh Williams	Sewer	11/7/2016	
11/7/2016	KPD	2016-11-251	Sewer odor complaint at Garraghan Drive KPD	Sewer odor	Josh Williams	Sewer	11/7/2016	no odor when arrived, was told it comes & goes, all indoor pumbing is working
11/7/2016		2016-11-252	checked manholes on Madison Ave between York & Savoy to follow up on sewer call	Manhole Inspections	Josh Williams	Sewer	11/7/2016	
11/7/2016		2016-11-253	Routine manhole cleaning at Pettit Ave., Glen St., Washington Ave	Manhole Inspections	Josh Williams	Sewer	11/7/2016	
11/7/2016		2016-11-254	installed Stop sign on Wall St. & Maiden Ln. (new pole)	Signs	Mike Simon	Street Maintenance	11/7/2016	
11/7/2016		2016-11-255	installed Yield sign on Green St. & Crown St.	Signs	Mike Simon	Street Maintenance	11/7/2016	
11/7/2016		2016-11-256	Sweeper 61 swept Clinton Ave Ext., Schwenk Dr., Washington Ave., Grama Brown Ln., Frog Alley, Fair St. Ext., West Brook Pl., Fairmont Ave., Lounsbury Pl., Grand View	Sweeper	Mike Simon	Street Maintenance	11/7/2016	
11/7/2016		2016-11-257	Installed No Parking sign at 127 Pearl Street	Signs	Mike Simon	Street Maintenance	11/7/2016	Dig Safely #10266-540-009
11/7/2016		2016-11-258	moved sign from 112 Gage St. to across the street at 109 Gage St.	Signs	Mike Simon	Street Maintenance	11/7/2016	Dig Safely #10266-540-011
11/7/2016	KPD	2016-11-259	242 E. Chester Street, picked up dead cat & buried at Transfer Station	dead animal	Mike MacCreery	sanitation	11/7/2016	
11/7/2016		2016-11-260	Removed Handicapped sign at 10 Van Duesen St.	Signs	Mike Simon	Street Maintenance	11/7/2016	
11/7/2016		2016-11-261	markout 420 Boulevard	Markout	Ed Boyle	Sewer	11/7/2016	Dig Safely #11096-540-079

WORK ORDER LOG								
<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
11/7/2016		2016-11-262	Transfer Station -empty 3 roll off containers out RRA	Misc.	Ed Boyle	Sewer	11/7/2016	
11/7/2016		2016-11-263	disassembled pipe & pump on Washington Ave. for contractor	Misc.	Lou Fabiano	Sewer	11/7/2016	
11/8/2016		2016-11-264	manhole inspections at Edson School, Merlin Ave., Millers Ln., Hillcrest Ave., Alcazar Ave., Manor Ave., Merrit Ave., Glen St., & Pettit Ave.	Manhole Inspections	Lou Fabiano	Sewer	11/8/2016	
11/8/2016		2016-11-265	Set up temporary No Parking signs for Mullen Construction on Delaware Ave., Lindsley to North St., Crane St. from Grove to Walnut	Signs	Mike Simon	Street Maintenance	11/8/2016	
11/8/2016		2016-11-266	replaced bent sign pole on E. Strand	Signs	Mike Simon	Street Maintenance	11/8/2016	
11/8/2016		2016-11-267	removed 2 poles on E. Chester St.	Signs	Mike Simon	Street Maintenance	11/8/2016	
11/8/2016		2016-11-268	installed new poles and Stop signs on Maiden Lane at Fair Street	Sign	Mike Simon	Street Maintenance	11/8/2016	
11/8/2016		2016-11-269	markout at 38 Prince St. & 84 O'Neil St. for Handicap Signs	Markout	Mike Simon	Street Maintenance	11/8/2016	
11/8/2016		2016-11-270	installed 2 replacement no parking signs at the Governor Clinton	signs	Mike Simon	Street Maintenance	11/8/2016	
11/8/2016		2016-11-271	Sweeper 61 swept interchange all sides, Albany Ave. both sides, Greenkill from Clinton to Wall St., Brook St. & Chaple St.	Sweeper	Mike Simon	Street Maintenance	11/8/2016	
11/8/2016		2016-11-272	Loaded pump & pipe on Washington Ave. for contractor	Misc.	Lou Fabiano	Sewer	11/8/2016	
11/8/2016		2016-11-273	markout at 40 Smith Ave. for deck footings	Markout	Josh Williams	markout	11/9/2016	Dig Safely #11086-139-002-00
11/8/2016	KPD	2016-11-274	called to Broadway underpass, debris was falling from bridge, checked it out - was someone look like throwing rock off bridge. Bridge was secure	Misc.	Ed Boyle	Street Maintenance	11/8/2016	
11/9/2016		2016-11-275	159 Wrentham, routine manhole inspection, was running high, jetted line to get running as should	Manhole Inspection	Josh Williams	Sewer	11/9/2016	
11/9/2016		2016-11-276	sewer backup at Pearl & Clinton, line charged, jetted to clear blockage. Checked manholes on Clinton & Maiden and cleared as needed	Back up	Josh Williams	Sewer	11/9/2016	
11/9/2016		2016-11-277	markout at 3 Garraghan Drive for sewer repair	Markout	Josh Williams	Sewer	11/9/2016	Dig Safely #11096-900-004-00
11/9/2016		2016-11-278	traffic light at Wilbur & Greenkill flashing; got it reset and working again	Traffic Signal	Ed Boyle	Electrical	11/9/2016	
11/9/2016		2016-11-279	Delaware Ave., Crane, Grove -meet with Callanan to go over what is going to be milled, they are working from Mullens	Misc.	Ed Boyle	Street Maintenance	11/9/2016	
11/9/2016		2016-11-280	markout at 38 Prince Street	Markout	Ed Boyle	Street Maintenance	11/9/2016	Dig Safely #11086-540-089
11/9/2016		2016-11-281	markout at 84 O'Neil Street	Markout	Ed Boyle	Street Maintenance	11/9/2016	Dig Safely #11086-540-100
11/9/2016		2016-11-282	cleaned catch basin at 39 2nd Avenue	Catch Basin Inspection	Josh Williams	Sewer	11/9/2016	
11/9/2016		2016-11-283	cleaned catch basin at 3rd and Delaware Ave.	Catch Basin Inspection	Josh Williams	Sewer	11/9/2016	
11/9/2016		2016-11-284	cleaned catch basin at 2nd and Moore St.	Catch Basin Inspection	Josh Williams	Sewer	11/9/2016	
11/9/2016		2016-11-285	cleaned catch basin at 59 2nd Avenue	Catch Basin Inspection	Josh Williams	Sewer	11/9/2016	
11/9/2016		2016-11-286	installed 8 signs on Green St. and 3 signs on Ten Broeck Ave for bike trail	signs	Mike Simon	Street Maintenance	11/9/2016	
11/9/2016		2016-11-287	Sweeper 61 swept Clinton Ave., N. Front St., John St., Crown St., Wall St., Fair St., Main St., Pearl St., Maiden Ln., Chapel St., W. O'Reilly St., Wilbur Ave. by concrete wall & Washington Ave.	Sweeper	Mike Simon	Street Maintenance	11/9/2016	
11/9/2016		2016-11-288	markout at 269 Washington Ave. for gas service install	Markout	Josh Williams	Sewer	11/10/2016	Dig Safely # 11096-134-038-00, 11096-134-037-00
11/9/2016		2016-11-289	markout on Hurley Ave at Village Ct. for sign install	Markout	Josh Williams	Street Maintenance	11/10/2016	Dig Safely #11096-540-075
11/9/2016		2016-11-290	markout on Flatbush Ave. at E. Chester Extension	Markout	Josh Williams	Street Maintenance	11/10/2016	Dig Safely #11096-540-071
11/9/2016		2016-11-291	clean up yard at 24 Hamilton St.	Misc.	Lou Fabiano	sanitation	11/9/2016	
11/9/2016		2016-11-292	Emergency markout at 332 Main Street for gas service install	Markout	Josh Williams	Sewer	11/9/2016	
11/9/2016	WWTP	2016-11-293	clean pump station at Mariner's	Pump Station	Josh Williams	Sewer	11/9/2016	
11/9/2016		2016-11-294	clean all manholes on Gage St. & Flatbush Ave as needed	Manhole Inspection	Josh Williams	Sewer	11/9/2016	
11/9/2016		2016-11-295	238 Flatbush Ave. Possible sewer backup, line open, advised homeowner to call plumber	Back up	Josh Williams	Sewer	11/9/2016	

WORK ORDER LOG

<u>Date Request</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
11/9/2016		2016-11-296	took down & removed fence, and cleaned up city owned property on Hamilton St.	Misc.	Ed Boyle	Sewer	11/9/2016	
11/9/2016		2016-11-297	worked on Harding Ave. Pump Station Roof	Building Maintenance	Lou Fabiano	Carpenter	11/10/2016	
11/10/2016		2016-11-298	patched catch basins on Walnut & Abruyn St., patched pothole by 71 Manor Ave., patched old cut by 332 Wilbur Ave., patched manhole on Prince & Smith Ave., patched hole on Lipton / Keirsted, patched wash out on Condie St.	potholes	Mike Simon	Street Maintenance	11/10/2016	
11/10/2016		2016-11-299	Traffic light on flash at Wilbur and Greenkill	Traffic Signal	Ed Boyle	Electrical	11/10/2016	
11/10/2016		2016-11-300	markout at 17 Railroad Ave. & Thomas St.	Markout	Ed Boyle	Sewer	11/10/2016	Dig Safely #11096-161-064
11/10/2016		2016-11-301	cleaned catch basin at Elm & 3rd Ave.	Catch Basin Inspection	Josh Williams	Sewer	11/10/2016	
11/10/2016		2016-11-302	cleaned catch basin at 97 3rd Ave.	Catch Basin Inspection	Josh Williams	Sewer	11/10/2016	
11/10/2016		2016-11-303	cleaned catch basin at 154 3rd Ave.	Catch Basin Inspection	Josh Williams	Sewer	11/10/2016	
11/10/2016		2016-11-304	cleaned catch basin at 158 3rd Ave.	Catch Basin Inspection	Josh Williams	Sewer	11/10/2016	
11/10/2016		2016-11-305	cleaned catch basin at 148 3rd Ave.	Catch Basin Inspection	Josh Williams	Sewer	11/10/2016	
11/10/2016		2016-11-306	cleaned catch basin at 102 3rd Ave.	Catch Basin Inspection	Josh Williams	Sewer	11/10/2016	
11/10/2016		2016-11-307	cleaned catch basin at 66 3rd Ave.	Catch Basin Inspection	Josh Williams	Sewer	11/10/2016	
11/10/2016		2016-11-308	cleaned catch basin at 31 3rd Ave.	Catch Basin Inspection	Josh Williams	Sewer	11/10/2016	
11/10/2016	WWTP	2016-11-309	cleaned Feeney's Pump Station	Pump Station	Josh Williams	Sewer	11/10/2016	
11/10/2016		2016-11-310	routine manhole inspections on Clinton, Maiden & Main, clean as needed	Manhole Inspections	Josh Williams	Sewer	11/10/2016	
11/10/2016		2016-11-311	cleaned Valley Street Pump House	Pump House	Josh Williams	Sewer	11/10/2016	
11/10/2016	Joe Chenier	2016-11-312	made 4 temp signs for RR plaza construction bridge work	signs	Mike Crowell	Street Maintenance	11/11/2016	
11/11/2016		2016-11-313	Sweeper 61 swept N. Wilbur Ave., Gilead, Albert, Clinton & St. James Street	Sweeper	Mike Simon	Street Maintenance	11/11/2016	
11/12/2016		2016-11-314	installed 2 handicapped signs at 249 O'Neil St., installed 1 yield sign on Green St., installed 5 signs & poles on Ten Broeck Ave for bike trail, moved 1 RR Crossing sign on Foxhall & Stephan St., Installed stop sign on Farrelly & Stephan Street	Signs	Mike Simon	Street Maintenance	11/17/2016	
11/12/2016		2016-11-315	sewer line blocked 149 Highland Avenue	Back up	Lou Fabiano	Sewer	11/12/2016	
11/14/2016	Service	2016-11-316	85 O'Neil Street, sewage backup in basement, not our problem - sewer line open	Back up	Lou Fabiano	Sewer	11/14/2016	
11/14/2016		2016-11-317	Sweeper 61 swept Greenkill, Burhans, Alcazar, Boulder, Merline, Granite, Fairview & Howland	Sweeper	Mike Simon	Street Maintenance	11/14/2016	
11/14/2016		2016-11-318	markout on 18 West O'Reilly for 3 signs, markout 142, 150, 154 & 172 Clinton Ave. for no parking signs, marked out Saccoman Lane for stop sign	signs	Mike Simon	Street Maintenance	11/14/2016	
11/14/2016		2016-11-319	traffic light at Wilbur Ave. & Greenkill - reset light	Traffic Signal	Ed Boyle	Electrical	11/14/2016	
11/14/2016		2016-11-320	traffic light at Washington Ave. & Lucas was stuck and not working; put on flash	Traffic Signal	Ed Boyle	Electrical	11/14/2016	
11/14/2016		2016-11-321	markout at 312 Lucas Ave.	Markout	Ed Boyle	Sewer	11/14/2016	Dig Safely #11106-540-039
11/14/2016		2016-11-322	markouts 49-57 Cornell Street	Markout	Ed Boyle	Sewer	11/14/2016	Dig Safely #11106-161-024
11/14/2016		2016-11-323	markout at Hasbrouck Park / Delaware Ave.	Markout	Ed Boyle	Sewer	11/14/2016	Dig Safely #11106-540-027
11/14/2016		2016-11-324	markout at Forsyth Park Road / Lucas Ave.	Markout	Ed Boyle	Sewer	11/14/2016	Dig Safely #11106-148-019
11/14/2016		2016-11-325	markout at 440 Albany Avenue for new water service	Markout	Josh Williams	Sewer	11/14/2016	Dig Safely #11146-185-046-00
11/14/2016		2016-11-326	installed 2 catch basins on Barmann Ave., installed 12" pipe across street & out to tracks	Catch Basin	Josh Williams	Sewer	11/14/2016	
11/14/2016		2016-11-327	routine manhole inspections on Glen St., Washington Ave., Laffayette Ave. and clean as needed	Manhole Inspection	Josh Williams	Sewer	11/14/2016	

WORK ORDER LOG								
<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
11/15/2016		2016-11-328	Sweeper 62 swept Amy Ct., Alison Ct., E. Chester St., McEntee St., Garrison St., Hone St., by firehouse, St. James St.	Sweeper	Mike Simon	Street Maintenance	11/15/2016	
11/15/2016		2016-11-329	markout at 1 Garraghan Drive for underground cable	Markout	Josh Williams	markout	11/16/2016	Dig Safely #11156-542-027-00
11/15/2016		2016-11-330	markout at Plaza Road for relpacing fire hydrant	Markout	Josh Williams	markout	11/16/2016	Dig Safely #11156-139-016-00
11/15/2016		2016-11-331	markout at 166 West Chestnut Street for drainage	Markout	Josh Williams	Sewer	11/16/2016	Dig Safely #11156-212-012-00
11/15/2016		2016-11-332	markout at 318 Washington Ave. for gas service install	Markout	Josh Williams	Sewer	11/16/2016	Dig Safely #11156-542-171-00
11/15/2016		2016-11-333	traffic light at Wilbur Ave. & Greenkill on flash	Traffic Signal	Ed Boyle	Electrical	11/15/2016	
11/15/2016		2016-11-334	markout at 61 Clifton Ave.	Markout	Ed Boyle	Sewer	11/15/2016	Dig Safely #11146-152-035
11/15/2016		2016-11-335	markout at 18 West O'Reilly Street	Markout	Ed Boyle	Street Maintenance	11/15/2016	Dig Safely #11146-540-010
11/15/2016		2016-11-336	markout at 375 Albany Avenue	Markout	Ed Boyle	Sewer	11/15/2016	Dig Safely #11106-543-106
11/15/2016		2016-11-337	markout at 142 Clinton Avenue	Markout	Ed Boyle	Street Maintenance	11/15/2016	Dig Safely #11146-540-012
11/15/2016		2016-11-338	markout at 152 Clinton Avenue	Markout	Ed Boyle	Street Maintenance	11/15/2016	Dig Safely #11146-540-013
11/15/2016		2016-11-339	Markout at 172 Clinton Avenue	Markout	Ed Boyle	Street Maintenance	11/15/2016	Dig Safely #11146-540-016
11/15/2016		2016-11-340	markout at 154 Clinton Avenue	Markout	Ed Boyle	Street Maintenance	11/15/2016	Dig Safely #11146-540-015
11/15/2016		2016-11-341	markout on Saccoman Lane @ Cornell Street	Markout	Ed Boyle	Sewer	11/15/2016	Dig Safely #11146-540-017
11/15/2016		2016-11-342	Tannery Brook at Hewitt Place., 3/4 high, cleaned leaves and sticks off grate - heavy rain	Flooding	Ed Boyle	Sewer	11/15/2016	
11/15/2016		2016-11-343	Lounsbury Brook at Lounsbury Place, cleaned leaves & sticks off catch basin	Catch Basin Inspection	Ed Boyle	Sewer	11/15/2016	
11/15/2016		2016-11-344	Barmann Ave- worked on new storm pipe and catch basins (did not finish)	Misc.	Ed Boyle	Sewer	11/15/2016	
11/15/2016		2016-11-345	4th Ave Pump House, pull out pump and clean chamber (did not put pump back)	Pump House	Ed Boyle	Sewer	11/15/2016	
11/16/2016		2016-11-346	markout at 67 Wall Street for playground install	Markout	Josh Williams	markout	11/16/2016	Dig Safely #11146-040-046-00
11/16/2016		2016-11-347	cleaned leaves from sluice way On E. Chester St., W. O'Reilly St. & Hudson St.	Misc.	Josh Williams	Street Maintenance	11/16/2016	
11/16/2016		2016-11-348	clean catch basin at Henry & Clinton Ave., jet storm line & clean storm manholes	Catch Basin & Manhole Inspections	Josh Williams	Sewer	11/16/2016	
11/16/2016	WWTP	2016-11-349	cleaned debris from Broadway, Hasbrouck & Wilbur Ave pump houses (RAKE)	Pump House	Josh Williams	Sewer	11/16/2016	
11/16/2016	WWTP	2016-11-350	Run boom truck to pull pump at 4th Ave. pump house, assist in pulling pump, clean pump station	Pump House	Josh Williams	Sewer	11/16/2016	
11/16/2016		2016-11-351	389 Washington Avenue -possible back up, line open -courtesy jet	Back up	Josh Williams	Sewer	11/16/2016	
11/16/2016		2016-11-352	Forsyth Park - started snow emergency entrance to parking lot	Misc.	Ed Boyle	Street Maintenance	11/16/2016	
11/16/2016		2016-11-353	Sweeper __ swept St. James Street, Cedar Street & Forsyth Park	Sweeper	Mike Simon	Street Maintenance	11/16/2016	
11/16/2016		2016-11-354	markout at 192 Elmendorf Street	Markout	Ed Boyle	Sewer	11/16/2016	Dig Safely #1116-139-036
11/16/2016		2016-11-355	markout at 200 Clifton Avenue for gas service install	Markout	Josh Williams	Sewer	11/18/2016	
11/16/2016		2016-11-356	markout at 1 Garraghan Drive for fence post install	Markout	Josh Williams	markout	11/17/2016	Dig Safely #11166-340-031-00
11/16/2017		2016-11-357	markout at 100 Stockade Drive for sign install	Markout	Josh Williams	Street Maintenance	11/17/2016	
11/17/2016		2016-11-358	Sweeper __ swept Franklin St., 89 3rd Ave., Liberty St., Sterling St., Prospect St. & Schruyver Court	Sweeper	Mike Simon	Street Maintenance	11/17/2016	
11/17/2016		2016-11-359	markout at 96 Wrentham for sign install	Markout	Josh Williams	Street Maintenance	11/18/2016	
11/17/2016	WWTP	2016-11-360	Kingston St. Pump Station, vac down pump station to repair rail	Pump Station	Josh Williams	Sewer	11/17/2016	
11/17/2016		2016-11-361	inspected catch basin at Henry & Broadway, needs repair	Catch Basin Inspection	Josh Williams	Sewer	11/17/2016	
11/17/2016		2016-11-362	markout at 17 Greenkill Avenue for water valve repair	Markout	Josh Williams	Sewer	11/17/2016	Dig Safely #11176-161-015-00
11/17/2016		2016-11-363	markout at 165 Cornell St. for sign install	Markout	Josh Williams	Street Maintenance	11/17/2016	Dig Safely #11176-540-003-00
11/17/2016		2016-11-364	markout at 165 Cornell St. for sign install	Markout	Josh Williams	Street Maintenance	11/17/2016	Dig Safely #11176-540-006-00

WORK ORDER LOG

<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
11/17/2016		2016-11-365	markout at 213 Greenkill Ave., for sign install	Markout	Josh Williams	Street Maintenance	11/18/2016	Dig Safely #11176-540-060-0
11/17/2016		2016-11-366	markout at 12 Elizabeth St. for gas service install	Markout	Josh Williams	Sewer	11/18/2016	Dig Safely #11176-161-022-00
11/17/2016		2016-11-367	markout at 93 Wurts St. for sign install	Markout	Josh Williams	Street Maintenance	11/18/2016	Dig Safely #11176-540-055-00
11/17/2016		2016-11-368	markout at 50 Rondout Landing for parking meter install	Markout	Josh Williams	Sewer	11/18/2016	Dig Safely #11176-540-057-00
11/17/2016		2016-11-369	markout at 242 Wall Street for sign install	Markout	Josh Williams	Street Maintenance	11/18/2016	Dig Safely #11176-540-058-00
11/17/2016		2016-11-370	markout at 180 Henry Street for sign install	Markout	Josh Williams	Street Maintenance	11/18/2016	Dig Safely #11176-540-059-00
11/17/2016		2016-11-371	75 Brewster Street possible sewer backup, line open, advised homeowner to call plumber	Back up	Josh Williams	Sewer	11/17/2006	
11/18/2016		2016-11-372	markout at 586 Broadway emergency CH gas leak repair	Markout	Josh Williams	Sewer	11/18/2016	Dig Safely #11186-161-024-00
11/18/2016		2016-11-373	159 Wrentham, manhole starting to charge, jet line	Back up	Josh Williams	Sewer	11/18/2016	
11/18/2016		2016-11-374	markout at 81 Elmendorf for water service repair	Markout	Josh Williams	Sewer	11/21/2016	Dig Safely #11186-212-015-01
11/18/2016		2016-11-375	inspected manholes on Ten Broeck, Maiden & Flatbush, cleaned as needed	Manhole Inspection	Josh Williams	Sewer	11/18/2016	
11/18/2016		2016-11-376	Hudson Street, cleaned leaves from sluice way	Misc.	Josh Williams	Sewer	11/18/2016	
11/18/2016		2016-11-377	9 Purvis St., possible sewer backup, line open, courtesy jet, advised to contact plumber	Back up	Josh Williams	Sewer	11/18/2016	
11/18/2016		2016-11-378	Installed 2 ADA signs at 38 Prince St., installed 3 No Parking signs at 18 W. O'Reilly St., removed old pole at 223 Elmendorf St., installed 5 No Parking Signs on Clinton Ave. between Center St. & St. James St.	Signs	Mike Simon	Street Maintenance	11/18/2016	
11/19/2016		2016-11-379	3 Fairview Avenue Extension, sewer backup, jetted line to clear blockage	Back up	Josh Williams	Sewer	11/19/2016	
11/20/2016		2016-11-380	Flatbush & E. Chester St., truck hit light pole and knocked it down, cleaned up road, disconnected wires, coned off area	Misc.	Ed Boyle	Street Maintenance	11/20/2016	
11/21/2016		2016-11-381	inspected manhole at Maritime Museum, everything good	Manhole Inspection	Josh Williams	Sewer	11/21/2016	
11/21/2016		2016-11-382	cleaned catch basin on Henry Street for repair	Catch Basin Inspection	Josh Williams	Sewer	11/21/2016	
11/21/2016		2016-11-383	inspected manholes on Grand Street and jet lines as needed	Manhole Inspection	Josh Williams	Sewer	11/21/2016	
11/21/2016		2016-11-384	routine manhole inspections on S. Washington, Washington, Cedar, Elizabeth & Lafayette Ave.	Manhole Inspection	Josh Williams	Sewer	11/21/2016	
11/21/2016		2016-11-385	315 4th Ave. - marked out in white, measured up for pipe & catch basin; going to put in new storm pipe because of water problem	Misc.	Ed Boyle	Sewer	11/21/2016	
11/21/2016		2016-11-386	Wilbur & Greenkill / Lucas & Washington traffic lights - met with contractor electricians work on overhead light found a couple of problems, fixed them, changed light to all flash on red	Traffic Signal	Ed Boyle	Electrical	11/21/2016	
11/21/2016		2016-11-387	met with Steve from P&R at Gallo Park, open box to get to electric panel box, showed him the breakers for heater in bathroom	Misc.	Ed Boyle	Electrical	11/21/2016	
11/21/2016		2016-11-388	markout at 35 Roosevelt St.	Markout	Ed Boyle	Sewer	11/21/2016	Dig Safely #11186-212-036
11/21/2016		2016-11-389	emergency markout at 15 Adams St.	Markout	Ed Boyle	Sewer	11/21/2016	Dig Safely #11216-187-007
11/21/2016		2016-11-390	markout at 147 Clinton Ave.	Markout	Ed Boyle	Sewer	11/21/2016	Dig Safely #11186-540-076
11/21/2016		2016-11-391	markout at 105 Foxhall Ave.	Markout	Ed Boyle	Sewer	11/21/2016	Dig Safely #11216-542-056
11/22/2016		2016-11-392	markout at 108 Foxhall Ave.	Markout	Ed Boyle	Sewer	11/22/2016	Dig Safely #11216-542-057
11/22/2016		2016-11-393	markout at 112 Grand St.	Markout	Ed Boyle	Sewer	11/22/2016	Dig Safely #11216-547-059
11/22/2016		2016-11-394	markout at 113 Grand St.	Markout	Ed Boyle	Sewer	11/22/2016	Dig Safely #11216-542-060
11/22/2016		2016-11-395	markout at 27 West Chestnut St.	Markout	Ed Boyle	Sewer	11/22/2016	Dig Safely #11216-542-055
11/22/2016		2016-11-396	cleaned catch basin at W. Chestnut St. & Broadway	Catch Basin Inspection	Josh Williams	Sewer	11/22/2016	
11/22/2016		2016-11-397	sewer backup at Wyltwick Gardens, vac manhole	Back up	Josh Williams	Sewer	11/22/2016	
11/22/2016		2016-11-398	clean manhole at Grand St., jet line as needed	Manhole Inspection	Josh Williams	Sewer	11/22/2016	Dig Safely #11226-139-005-00

WORK ORDER LOG

<u>Date Request</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
11/22/2016		2016-11-399	emergency markout at 435 Lucas Ave., to reset pole	Markout	Josh Williams	Sewer	11/22/2016	
11/23/2016		2016-11-400	markout at 484 Delaware Ave. for sign install	Markout	Josh Williams	Street Maintenance	11/23/2016	Dig Safely #11226-542-005-00
11/23/2016		2016-11-401	Routine manhole inspections at Lipton, N. Manor & Wrentham St., clean as needed	Manhole Inspection	Josh Williams	Sewer	11/23/2016	
11/23/2016		2016-11-402	blacktop manhole repaired day prior on 3rd Ave.	Cap Manhole	Josh Williams	Sewer	11/23/2016	
11/23/2016	WWTP	2016-11-403	clean Mariners pump station	Pump Station	Josh Williams	Sewer	11/23/2016	
11/23/2016		2016-11-404	extend curb and raise driveway apron at Arlmont & Beckett	Curbs	Josh Williams	Street Maintenance	11/23/2016	
11/23/2016	Ralph Swenson	2016-11-405	vac & jet line for camera inspection at manhole on Grand St., could not see anything, camera under water	Manhole Inspection	Josh Williams	Sewer	11/23/2016	
11/23/2016		2016-11-406	markout at 30 Grand Street for sign post	Markout	Ed Boyle	Street Maintenance	11/23/2016	Dig Safely #11226-542-004
11/23/2016		2016-11-407	markout at 36 Grand Street for sign post	Markout	Ed Boyle	Street Maintenance	11/23/2016	Dig Safely #11226-542-003
11/23/2016		2016-11-408	markout at 46 Grand Street for sign post	Markout	Ed Boyle	Street Maintenance	11/23/2016	Dig Safely #11226-542-002
11/23/2016		2016-11-409	markout at 50 1st Ave. for sign post	Markout	Ed Boyle	Street Maintenance	11/23/2016	Dig Safely #11226-542-001
11/23/2016		2016-11-410	markout at 315 4th Ave. for storm line catch basin	Markout	Ed Boyle	Sewer	11/23/2016	Dig Safely #11226-540-001
11/23/2016		2016-11-411	Pike Plan electric on Wall St. - got all outlets working under canopy, found electric panel box in basement of candy store	Misc.	Ed Boyle	Electrical	11/23/2016	
11/23/2016		2016-11-412	15 Ulster Street - built up apron in driveway so water did not go behind blacktop curb	Curbs	Ed Boyle	Street Maintenance	11/23/2016	
11/23/2016		2016-11-413	1 Arlmont St., put in about 70' curb and curb apron on driveway to divert water	Curbs	Ed Boyle	Street Maintenance	11/23/2016	
11/17/2016	Mayor	2016-11-414	American Flags removed from Broadway for winter season	Misc.	Ed Boyle	Street Maintenance	11/23/2016	
11/23/2016		2016-11-415	put snow flakes up on Broadway, lower Broadway & Midtown, some on Albany Ave.	electrical	Ed Boyle	Electrical	11/23/2016	
11/2/2016	Gerry Marion KPD	2016-11-416	fix fence in back of parking lot at Garraghan Drive	Misc.	Chris Turco	Carpenter	11/25/2016	
11/4/2016	Steven Freer P & R	2016-11-417	Round off newly installed handrails at Cornell Park	Misc.	Chris Turco	Carpenter	11/25/2016	
11/25/2016		2016-11-418	Markout at City Hall for sign post	Markout	Ed Boyle	Street Maintenance	11/25/2016	Dig Safely #11236-540-070
11/25/2016		2016-11-419	Markout for storm line at 15-23 Ulster Street	Markout	Ed Boyle	Sewer	11/25/2016	Dig Safely #11236-540-113
11/25/2016		2016-11-420	Helped KPD decorate Christmas tree at Academy Green	Misc.	Ed Boyle	Electrical	11/25/2016	
11/25/2016		2016-11-421	put up 9 posts at Forsyth Park for parking markers for Snow Emergency	Misc.	Ed Boyle	Street Maintenance	11/25/2016	
11/25/2016		2016-11-422	Markout at 56 Sycamore St for sewer repair	Markout	Ed Boyle	Sewer	11/25/2016	Dig Safely #11236-542-097
11/28/2016		2016-11-423	Traffic light at Pearl St. & Clinton Ave was on flash, reset and working fine	Traffic Signal	Ed Boyle	Electrical	11/28/2016	
11/28/2016		2016-11-424	Markout at 98 Grand Street for sewer line repair	Markout	Ed Boyle	Sewer	11/28/2016	Dig Safely #11256-171-008
11/28/2016		2016-11-425	Markout at 132 Rondout Drive, KHA perimeter of Building F - Heilical Piles	Markout	Ed Boyle	markout	11/28/2016	Dig Safely #11256-171-007
11/28/2016		2016-11-426	Markout at Lucas & Washington intersection - installing traffic signals	Markout	Ed Boyle	Electrical	11/28/2016	Dig Safely #11236-171-018
11/29/2016		2016-11-427	Markout at 330 Loughran Ct for new gas service	Markout	Ed Boyle	Sewer	11/29/2016	Dig Safely #11286-040-055
11/29/2016		2016-11-428	Markout at 140 Linderman Ave. for fence posts	Markout	Ed Boyle	markout	11/29/2016	Dig Safely #11286-198-040
11/29/2016		2016-11-429	Markout at 9-15 Cornell St. for gas leak	Markout	Ed Boyle	Sewer	11/29/2016	Dig Safely #11286-040-054
11/29/2016		2016-11-430	Sewer backup at 140 Wrentham St. to Kiersted Ave @ Wilson Ave - 8 manholes charged up - got open	Back up	Ed Boyle	Sewer	11/29/2016	
11/29/2016		2016-11-431	Unloaded 14 light poles at transfer station for uptown parking lots	Misc.	Ed Boyle	Electrical	11/29/2016	
11/30/2016		2016-11-432	markout for sewer repair at 3 Garraghan Drive	Markout	Ed Boyle	Sewer	11/30/2016	Dig Safely #11296-212-006
11/30/2016		2016-11-433	Markout on North Street for soil borings	Markout	Ed Boyle	Sewer	11/30/2016	Dig Safely #11296-542-152
11/30/2016		2016-11-434	Sewer backup at 84 Andrew St. - not our problem	Back up	Ed Boyle	Sewer	11/30/2016	
11/30/2016		2016-11-435	15-23 Ulster St. - dug out and put in blacktop swale for homeowner	Curbs	Ed Boyle	Street Maintenance	11/30/2016	
11/30/2016		2016-11-436	Dock St - took apart 2 end fishing docks in prep for crane	Misc.	Ed Boyle	Parks & Rec	11/30/2016	

WORK ORDER LOG

<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
12/1/2016		2016-12-001	Traffic Signal at Delaware Ave. & North St. out, bad fuse, got working	Traffic Signal	Ed Boyle	Electrical	12/1/2016	
12/1/2016		2016-12-002	Took out 30 yards of leaves at Transfer Station and brought to Dukes Pit	Misc.	Ed Boyle	Street Maintenance	12/1/2016	
12/1/2016		2016-12-003	35 3rd Ave. Check out markings in street did not find anything	Misc.	Ed Boyle	Sewer	12/1/2016	
12/1/2016		2016-12-004	Dock St - took out dock, loaded on truck and took to Transfer Station	Misc.	Ed Boyle	Parks & Rec	12/1/2016	
12/2/2016		2016-12-005	Traffic Signal out at Washington & Schwenk, reset got working	Traffic Signal	Ed Boyle	Electrical	12/2/2016	
12/2/2016		2016-12-006	38 Linderman Ave. - Cut and removed tree that had fallen on front yard and over sidewalk, took all away with stump and back filled hole	Trees	Ed Boyle	Street Maintenance	12/2/2016	
12/2/2016		2016-12-007	117 Wall Street = cleaned up old blacktop in curb line and on sidewalk	Curbs	Ed Boyle	Street Maintenance	12/2/2016	
12/2/2016		2016-12-008	South Wall Street - both sides, removed debris - Mattresses & Tires and all other trash on road side (30 tires and 12 bags of trash)	pick up	Ed Boyle	sanitation	12/2/2016	
12/2/2016		2016-12-009	Markout at 41 Elmendorf St. for sign post	Markout	Ed Boyle	Street Maintenance	12/2/2016	Dig Safely #12016-540-009
12/2/2016		2016-12-010	Markout at Lynette Drive & Coral Lane for Water main break (NOT COK STREETS)	Markout	Ed Boyle	Sewer	12/2/2016	Dig Safely #12026-212-002
12/2/2016		2016-12-011	Markout at Washington Ave. & Lucas Ave. digging test hole	Markout	Ed Boyle	markout	12/2/2016	Dig Safely #12016-540-007
12/2/2016		2016-12-012	Markout at 176 Flatbush Ave for gas service	Markout	Ed Boyle	Sewer	12/2/2016	Dig Safely #11306-048-012
11/4/2016	Steven Freer P & R	2016-12-013	Upper Hasbrouck Park/Delaware Ave. - install 2 posts for gate to go across road past the stone building	Misc.	Ed Boyle	Parks & Rec	12/2/2016	
11/10/2016		2016-12-014	installed 2 "No Dumping" signs at dead end of Kingston Terrace	Signs	Mike Simon	Street Maintenance	12/14/2016	
11/16/2016		2016-12-015	Installed stop sign at Saccoman Lane	Signs	Mike Simon	Street Maintenance	11/21/2016	Dig Safely # 11146-540-017
11/17/2016		2016-12-016	Repaired catch basin on Henry Street in front of Mobile Station	Catch Basin Repair	Josh Williams	Sewer	11/25/2016	
11/21/2016		2016-12-017	patched catch basin on Henry St. & Prospect, patched potholes and a sinkhole on Prospect, patched hole on Albany Ave & Maiden Ln., patched tracks on Cornell St., patched hole at 68 MacEntee, patched large hole at 113 Hunter St.	potholes	Mike Simon	Street Maintenance	11/21/2016	
11/22/2016		2016-12-018	Installed street sign at 96 Wrentham St.	Signs	Mike Simon	Street Maintenance	11/30/2016	
11/22/2016		2016-12-019	installed meter pole at 50 Rondout Landing	Meter Pole	Mike Simon	Street Maintenance	11/28/2016	Dig Safely #11176-540-057-00
11/22/2016		2016-12-020	installed stop sign at 242 Wall Street	Signs	Mike Simon	Street Maintenance	11/29/2016	Dig Safely #11176-540-058-00
11/23/2016		2016-12-021	replaced 2 handicapped signs at 147 Clinton Ave,	Signs	Mike Simon	Street Maintenance	11/30/2016	Dig Safely #11186-540-076-00
11/23/2016		2016-12-022	sewer back up at Foxhall & Downs, manhole charged, jet line to clear blockage	Back up	Josh Williams	Sewer	11/23/2016	
11/25/2016		2016-12-023	installed snow odd/even signs at 27 West Chestnut Street	Signs	Mike Simon	Street Maintenance	11/25/2016	Dig Safely #11216-542-055-01
11/28/2016		2016-12-024	installed 'no parking between signs' sign on Grand Street	Signs	Mike Simon	Street Maintenance	11/30/2016	Dig Safely #11226-542-002-00
11/28/2016		2016-12-025	picked up bob cat from dealership in Newburgh, our garage could not fix	Misc.	Ed Boyle	Street Maintenance	11/28/2016	
11/28/2016		2016-12-026	patched potholes on Prince St., 1st Ave & 2nd Avenue	potholes	Mike Simon	Street Maintenance	11/28/2016	
11/28/2016		2016-12-027	Sweeper 61 swept 1 side of Wurts St, Ohio St., Pine Grove Ave., Hasbrouck Pl., dead end of Highland Ave., Styvensant St., E. Chestnut St.	Sweeper	Mike Simon	Street Maintenance	11/28/2016	
11/30/2016		2016-12-028	patched potholes on German St., Ridge St., Hunter St., Post St., W. Union St., Abeel St. from Broadway to Ravine St., cleaned up mess on O'Neil St.	potholes	Mike Simon	Street Maintenance	11/30/2016	
11/30/2016		2016-12-029	paint STOP bars on Wall Street at Linderman Ave & SCHOOL pavement markings in the vicinity of 117 Linderman Ave.	Stripping	Mike Simon	Street Maintenance	12/2/2016	
11/30/2016		2016-12-030	Trim tree in front of Stop sign on Wall St. @ Linderman	Trees	Mike Simon	Street Maintenance	12/1/2016	
11/28/2016		2016-12-031	installed stop sign at 484 Delaware Ave.	Signs	Mike Simon	Street Maintenance	12/8/2016	
11/30/2016		2016-12-032	set up road closures for Snowflake Festival	Signs	Mike Simon	Street Maintenance	12/1/2016	
11/22/2016		2016-12-033	install 2 chevrons by guard rail on turn near 165 Cornell St.	Signs	Mike Simon	Street Maintenance	12/6/2016	
11/22/2016		2016-12-034	installed sign post at 165 Cornell St.	Signs	Mike Simon	Street Maintenance	12/6/2016	
12/6/2016		2016-12-035	installed sign post at 41 Elmendorf St.	Signs	Mike Simon	Street Maintenance	12/8/2016	
12/1/2016	Joe Chenier	2016-12-036	Paint cross walks on Pine Grove Ave. at Broadway, on Broadway from Planet Wings to Rite Aid, and paint STOP bar on Broadway at Planet Wings	Stripping	Mike Simon	Street Maintenance	12/2/2016	

WORK ORDER LOG

<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
12/1/2016		2016-12-037	Sweeper 61 swept Second Ave., Cornell St., O'Neil St., Downs St., Tremper Ave., Bruyn Ave., Ten Broeck Ave., cleaned up mess on E. Chester St. 70 Kingston Terrace	Sweeper	Mike Simon	Street Maintenance	12/1/2016	
12/2/2016		2016-12-038	markout at 318 Washington Ave. for oil tank removal	Markout	Josh Williams	Sewer	12/6/2016	Dig Safely #12026-074-010-00
12/2/2016		2016-12-039	markout at St. James Methodis on Fair St., for curb box replacement	Markout	Josh Williams	Street Maintenance	12/6/2016	Dig Safely #12026-185-024-00
12/2/2016		2016-12-040	Sweeper 61 swept Tompkins St., Gill St., Catherine St., E Union St., and Wall St. on turn on Broadway	Sweeper	Mike Simon	Street Maintenance	12/2/2016	
12/2/2016		2016-12-041	markout at 12 Susan St., for new sewer & water service	Markout	Ed Boyle	Sewer	12/2/2016	Dig Safely #12016-152-018
12/5/2016		2016-12-042	markout at 253 E. Union St. for gas valve install	Markout	Josh Williams	Sewer	12/6/2016	Dig Safely #1205-542-138-00
12/6/2016		2016-12-043	possible sewer backup at 361 Albany Ave.; line running, did courtesy jet	Back up	Josh Williams	Sewer	12/6/2016	
12/6/2016		2016-12-044	manhole inspection at 26 Johnston Ave.; root obstruction in manhole, cleaned out	Manhole Inspection	Josh Williams	Sewer	12/6/2016	
12/6/2016		2016-12-045	markout for soil borings at NY RT. 28 & Albany Avenue (Aquifer Drilling)	Markout	Josh Williams	Sewer	12/6/2016	
12/6/2016		2016-12-046	Catch basin repair at St. James St. & Prospect St.	Catch Basin Repair	Josh Williams	Sewer	12/6/2016	
12/6/2016		2016-12-047	Sewer backup at TenBroeck & Elmendorf St., line running slow, jetted to clear blockage	Back up	Josh Williams	Sewer	12/6/2016	
12/6/2016		2016-12-048	211 Hurley Ave - possible sewer backup, line is open, courtesy flush of manhole	Back up	Josh Williams	Sewer	12/6/2016	
12/6/2016		2016-12-049	Delivered brown totes to Gerald, Hanratty, Newkirk, Murry, Maple, Debois, Hasbrouck and Third Avenue	Sanitation	Mike MacCreery	sanitation	12/6/2016	
12/6/2016		2016-12-050	markout at 132 Rondout Dr. for water main repair	Markout	Josh Williams	Sewer	12/8/2016	Dig Safely #12066-900-013-00
12/7/2016		2016-12-051	traffic light out at Pearl & Wall St., rebuilt controller with new motor, got working	Traffic Signal	Ed Boyle	Electrical	12/7/2016	
12/7/2016		2016-12-052	Broadway @ Pine Grove Ave., two big potholes in middle of Broadway, car hit them and got flat tire, got incident report	potholes	Ed Boyle	Street Maintenance	12/7/2016	
12/7/2016		2016-12-053	Emptied 3 roll off boxes at Transfer Station - trash, cardboard and single stream	Misc.	Ed Boyle	sanitation	12/7/2016	
12/7/2016		2016-12-054	At incinerator - helped Rec Dept. make room for 2 loads of wood chips	Misc.	Ed Boyle	Parks & Rec	12/7/2016	
12/7/2016		2016-12-055	Gage St. @ Foxhall Ave., milled '20 to get water to run to catch basin	paving	Ed Boyle	Street Maintenance	12/7/2016	
12/7/2016		2016-12-056	Delivered brown totes to 2nd Ave., 1st Ave., Moore, Hutton, Lincoln, Hooker, Larch, Rondout, Rock, Futuna, Pulanski, 4th and Kingston St.	Sanitation	Mike MacCreery	sanitation	12/7/2016	
12/7/2016		2016-12-057	markout at 27 Boulder Ave for gas service install	Markout	Josh Williams	Sewer	12/8/2016	Dig Safely #12076-120-009-00
12/7/2016		2016-12-058	1 Arlmont St at Hillcrest Ave., milled out 20' long x 2" deep to get water from in front of homes	paving	Ed Boyle	Street Maintenance	12/7/2016	
12/8/2016		2016-12-059	Pearl St. & Noonnes Lane, install new stop sign and no right turn on pearl st. heading towards Washington	Signs	Ed Boyle	Street Maintenance	12/8/2016	
12/8/2016		2016-12-060	Transfer station to incinerator -move small plow to incinerator to check them out if working ok	Misc.	Ed Boyle	Street Maintenance	12/8/2016	
12/8/2016		2016-12-061	Reset traffic light at Wilbur & Greenkill, was on flash	Traffic Signal	Ed Boyle	Electrical	12/8/2016	
12/8/2016		2016-12-062	Transfer station - met with contractor tub grinder and clean up to get machine positioned in right spot	Misc.	Ed Boyle	Street Maintenance	12/8/2016	
12/8/2016		2016-12-063	markout at 12 Clifton Ave. -retire gas service	Markout	Ed Boyle	Sewer	12/8/2016	Dig Safely #12086-186-016
12/8/2016		2016-12-064	cleaned catch basins at 1 & 22 Linwood Ct.	Cleaned Catch Basins	Josh Williams	Sewer	12/8/2016	
12/8/2016		2016-12-065	cleaned catch basins at 26, 32, 44 & 35 Shufeldt St.	Cleaned Catch Basins	Josh Williams	Sewer	12/8/2016	
12/8/2016		2016-12-066	markout at 84 Andrew Street for sewer line repair	Markout	Josh Williams	Sewer	12/8/2016	Dig Safely #12086-120-027-00
12/8/2016		2016-12-067	markout at 136 Bruyn Ave. for gas service install	Markout	Josh Williams	Sewer	12/8/2016	Dig Safely #12086-186-017-00
12/8/2016		2016-12-068	markout at 99 Harding Ave. for gas service install	Markout	Josh Williams	Sewer	12/8/2016	
12/8/2016		2016-12-069	sewer backup at 139 Murray St., line blocked, jetted line and cleared blockage	Back up	Josh Williams	Sewer	12/8/2016	
12/8/2016		2016-12-070	possible sewer backup at 84 Brewster, courtesy jet, city line open	Back up	Josh Williams	Sewer	12/8/2016	
12/8/2016		2016-12-071	markout at 104 Wurts Street for sign install	Markout	Josh Williams	Street Maintenance	12/13/2016	Dig Safely #12086-120-043-00

WORK ORDER LOG

<u>Date Request</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
12/9/2016		2016-12-072	Garage - trained on new truck salter and plow	Misc.	Ed Boyle	Garage	12/9/2016	
12/9/2016		2016-12-073	prepared for Snow, plows on trucks and salters filled	Misc.	Ed Boyle	Street Maintenance	12/9/2016	
12/9/2016		2016-12-074	Linwood Pl., fixed telephone line that got torn down by truck 15	Misc.	Ed Boyle	Street Maintenance	12/9/2016	
12/9/2016		2016-12-075	markout at Johnston & Main for sign install	Markout	Josh Williams	Street Maintenance	12/9/2016	
12/9/2016		2016-12-076	manhole inspections at Flatbush, Ten Broeck, Grand St., cleaned as needed	Manhole Inspection	Josh Williams	Sewer	12/9/2016	
12/9/2016		2016-12-077	possible sewer backup at 18 Clinton Ave., city line open, jetted as a courtesy	Back up	Josh Williams	Sewer	12/9/2016	
12/9/2016		2016-12-078	markout for sign install at Pearl and Noone Lane	Markout	Josh Williams	Street Maintenance	12/12/2016	Dig Safely #12096-542-002-00
12/9/2016		2016-12-079	markout at 66 N. Front street to remove underground oil tank	Markout	Josh Williams	Sewer	12/13/2016	Dig Safely #12096-199-034-00
12/9/2016		2016-12-080	markout at Maple & Newkirk for sign install	Markout	Josh Williams	Street Maintenance	12/12/2016	Dig Safely #12096-542-055-00
12/9/2016		2016-12-081	markout at 72-78 Jervis Avenue for clearing trees & removing stumps	Markout	Josh Williams	Street Maintenance	12/13/2016	Dig Safely #12096-209-039-00
12/10/2016		2016-12-082	markout at 44 Henry Street for emergency gas leak repair	Markout	Josh Williams	Sewer	12/10/2016	Dig Safely #12106-187-012-00
12/11/2016		2016-12-083	plowed for Snow	Snow Removal	Mike Simon	Street Maintenance	12/11/2016	
12/12/2016		2016-12-084	shoveled and salted downtown sidewalks	Snow Removal	Mike Simon	Street Maintenance	12/12/2016	
12/12/2016		2016-12-085	moved brick and sand from outside building to inside at Wilbur Ave.	Misc.	Mike Simon	Street Maintenance	12/12/2016	
12/12/2016		2016-12-086	washed out all salters and loader 50 at Wilbur Ave.	Misc.	Mike Simon	Street Maintenance	12/12/2016	
12/12/2016		2016-12-087	installed Christmas tree on roof of paint shop	Misc.	Mike Simon	Street Maintenance	12/12/2016	
12/12/2016		2016-12-088	salted uptown sidewalks	Snow Removal	Mike Simon	Street Maintenance	12/12/2016	
12/12/2016		2016-12-089	possible sewer back up at 79 Abeel St, line open.	Back up	Josh Williams	Sewer	12/12/2016	
12/12/2016		2016-12-090	put no parking signs up on Smith Ave. for wake at Leahy Funeral Home	Signs	Mike Simon	Street Maintenance	12/12/2016	
12/12/2016		2016-12-091	City Wide -plow and salt - 3" Snow	Snow Removal	Ed Boyle	Street Maintenance	12/12/2016	
12/12/2016		2016-12-092	traffic light at Wilbur & Greenkill flashing; got it reset and working again	Traffic Signal	Ed Boyle	Electrical	12/12/2016	
12/12/2016		2016-12-093	KPD called, light at Lucas & Washington was working on flash didn't see any problem	Traffic Signal	Ed Boyle	Electrical	12/12/2016	
12/13/2016		2016-12-094	Albany Ave. & Bruyn Ave. - remove pieces of manhole lid from manhole	Manhole Inspection	Josh Williams	Sewer	12/13/2016	
12/13/2016		2016-12-095	60 E. Strand - cleaned grease from manhole	Manhole Inspection	Josh Williams	Sewer	12/13/2016	
12/13/2016		2016-12-096	41 Broadway - small cave in in road, filled with material	potholes	Josh Williams	Street Maintenance	12/13/2016	
12/13/2016		2016-12-097	transfer station - helped out tub grinder contractor clean snow and set up. Did not get started, broke down, he left and said not coming back	Misc.	Ed Boyle	sanitation	12/13/2016	
12/13/2016		2016-12-098	markout at 36 Sherman to disconnect water service	Markout	Josh Williams	Sewer	12/13/2016	dig Safely #12136-222-008-00
12/13/2016		2016-12-099	traffic light at Linderman & Washington, still on flash, couldn't get working	Traffic Signal	Ed Boyle	Electrical	12/13/2016	
12/13/2016		2016-12-100	made 3500 gallons of brine at Wilbur Ave.	Misc.	Ed Boyle	Street Maintenance	12/13/2016	
12/14/2016		2016-12-101	markout at 110 Pearl Street, replacing gas valve box	Markout	Josh Williams	Sewer	12/14/2016	
12/14/2016		2016-12-102	washed out 2 salters that were in garage and switched plows	Misc.	Mike Simon	Street Maintenance	12/14/2016	
12/14/2016		2016-12-103	salted uptown and downtown sidewalks	Snow Removal	Mike Simon	Street Maintenance	12/14/2016	
12/14/2016		2016-12-104	shoveled snow on DPW office roof and found where leak might be, turned over to Turco	Snow Removal	Mike Simon	Street Maintenance	12/14/2016	
12/14/2016		2016-12-105	took 15 No Parking signs to People's Place on St. James St. and set in parking lot	Signs	Mike Simon	Street Maintenance	12/14/2016	
12/14/2016		2016-12-106	trimmed tree at Burgevan and Linderman, cannot reach top to cut down safely	Trees	Mike Simon	Street Maintenance	12/14/2016	
12/14/2016		2016-12-107	shoveled sidewalk at 337-339 Hasbrouck Ave. due to someone falling; billing homeowner	Snow Removal	Mike Simon	Street Maintenance	12/14/2016	
12/14/2016		2016-12-108	VanBuren, VanDuessen & Delmont Streets, pushed back snow when cars moved	Snow Removal	Mike Simon	Street Maintenance	12/14/2016	
12/14/2016		2016-12-109	markout at 42 1st Ave. for repair gas leak	Markout	Josh Williams	Sewer	12/15/2016	Dig safety #12146-171-009-00

WORK ORDER LOG

<u>Date Request</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
12/15/2016		2016-12-110	markout at 303 Clinton Ave. for sign install	Markout	Josh Williams	Street Maintenance	12/16/2016	Dig Safely #12156-148-001-00
12/15/2016		2016-12-111	markout on Quarry St. for emergency water main break	Markout	Josh Williams	Sewer	12/15/2016	Dig Safely #12156-199-012-00
12/15/2016		2016-12-112	put more wraps on brine shed	Misc.	Mike Simon	Street Maintenance	12/15/2016	
12/15/2016		2016-12-113	markout at 21 Stanley Street, repair broken water service	Markout	Josh Williams	Sewer	12/15/2016	Dig Safely #12156-171-035-00
12/15/2016		2016-12-114	Markout at 9-15 Cornell St. for gas leak	Markout	Josh Williams	Sewer	12/16/2016	Dig Safely #12156-134-042-00
12/15/2016	Code Enforcement	2016-12-115	salted sidewalk at 591 Broadway	Snow Removal	Mike Simon	Sewer	12/15/2016	
12/15/2016	unit 2	2016-12-116	sent driver and truck to water main break on Quarry Street	Misc.	Mike Simon	Street Maintenance	12/15/2016	
12/15/2016		2016-12-117	fixed shut off valve on brine tank hose fill	Misc.	Mike Simon	Street Maintenance	12/15/2016	
12/15/2016		2016-12-118	patched manhole on Greenkill Ave., patched manhole on Albany Ave.	Manhole repair	Mike Simon	Street Maintenance	12/15/2016	
12/15/2016		2016-12-119	Brinning city sidewalks	Snow Removal	Mike Simon	Street Maintenance	12/15/2016	
12/15/2016		2016-12-120	Brinning priority roads	Snow Removal	Mike Simon	Street Maintenance	12/15/2016	
12/16/2016		2016-12-121	Traffic light at Greenkill & Wilbur Ave. reset, was on flash	Traffic Signal	Ed Boyle	Electrical	12/16/2016	
12/16/2016		2016-12-122	change out batteries in smoke alarms DPW building (Jeanne's office)	Misc.	Ed Boyle	Electrical	12/16/2016	
12/16/2016		2016-12-123	Transfer Station - changed out light bulbs in scale house, needs to be replaced	Misc.	Ed Boyle	Electrical	12/16/2016	
12/17/2016		2016-12-124	plowed for snow storm, 6" city wide, general call out	Snow Removal	Ed Boyle	Street Maintenance	12/17/2016	
12/17/2016		2016-12-125	16 John St. - Manny Steele knocked down light pole with snow plow (just cut wires and move from sidewalk and put cones on it)	Knock Down (Light Pole)	Ed Boyle	Electrical	12/17/2016	
12/19/2016		2016-12-126	scraped snow and ice from all 3 uptown parking lots where cars were parked	Snow Removal	Ed Boyle	Street Maintenance	12/19/2016	
12/19/2016		2016-12-127	79 Washington Ave. - reset timer for slow school light for Washington School	Misc.	Ed Boyle	Electrical	12/19/2016	
12/19/2016		2016-12-128	tried to salt and plow parking lot under bridge/lower Broadway, lots of cars still	Snow Removal	Ed Boyle	Street Maintenance	12/19/2016	
12/19/2016		2016-12-129	Hudson River Maritime Museum, plow and salt in front of their building (city street)	Snow Removal	Ed Boyle	Street Maintenance	12/19/2016	
12/19/2016		2016-12-130	traffic light at Wilbur & Greenkill flashing; got it reset and working again	Traffic Signal	Ed Boyle	Electrical	12/19/2016	
12/19/2016		2016-12-131	Transfer station - met trailer truck fence man, poles & hardware for rail for new parking lots on N. Front St.	Misc.	Ed Boyle	Street Maintenance	12/19/2016	
12/19/2016		2016-12-132	Transfer station - plowed snow	Snow Removal	Ed Boyle	Street Maintenance	12/19/2016	
12/19/2016		2016-12-133	clean snow from catch basins on Clinton Avenue	Catch Basin Inspection	Josh Williams	Sewer	12/19/2016	
12/19/2016		2016-12-134	markout at 178 Linderman Avenue for water main repair	Markout	Josh Williams	Sewer	12/19/2016	Dig Safely #12196-139-007-00
12/19/2016		2016-12-135	markout at 57 Spring Street for sewer line replacement	Markout	Josh Williams	Sewer	12/19/2016	Dig Safely #12196-900-001-00, 12196-198-002-00
12/19/2016		2016-12-136	markout at 132 Rondout Drive - replace steam heating line	Markout	Josh Williams	Sewer	12/19/2016	Dig Safely #12196-185-018-00
12/19/2016		2016-12-137	Scrapped and salted all city parking lots	Snow Removal	Mike Simon	Street Maintenance	12/19/2016	
12/19/2016		2016-12-138	snow removal North Front St. from Fair to Green St. and posted John St.	Snow Removal	Mike Simon	Street Maintenance	12/19/2016	
12/19/2016		2016-12-139	possible sewer backup at 255 Fair St., line running slow, jetted to improve flow	Back up	Josh Williams	Sewer	12/19/2016	
12/20/2016		2016-12-140	markout at 10 Apple St. for gas service install	Markout	Josh Williams	Sewer	12/20/2016	Dig Safely #12206-134-008-00
12/20/2016		2016-12-141	clean snow from catch basins, clean up corners and parking spots on Clinton Ave. from Henry St. to St. James Street	Snow Removal	Josh Williams	Street Maintenance	12/20/2016	
12/20/2016		2016-12-142	removed snow on part of Wall St., and all of John St., Clinton Ave. by Academy Green	Snow Removal	Mike Simon	Street Maintenance	12/20/2016	
12/20/2016		2016-12-143	removed snow by central fire house and by paint shop and inside DPW yard	Snow Removal	Mike Simon	Street Maintenance	12/20/2016	
12/21/2016		2016-12-144	markout at 34 South Wall Street for guard rail	Markout	Josh Williams	Street Maintenance	12/21/2016	Dig Safely #12216-540-007-00
12/21/2016		2016-12-145	snow removal Clinton Ave., North Wilbur, Henry Street and Franklin Street	Snow Removal	Josh Williams	Street Maintenance	12/21/2016	
12/21/2016		2016-12-146	markout 70-86 North Front St. for guard rail & fence	Markout	Josh Williams	Street Maintenance	12/21/2016	Dig Safely #12216-540-003-00
12/21/2016		2016-12-147	markout 62-73 Crown St. for guard rail & fence	Markout	Josh Williams	Street Maintenance	12/21/2016	Dig Safely #12216-540-004-00

WORK ORDER LOG								
<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
12/21/2016		2016-12-148	markout 206-253 First Ave. for guard rail	Markout	Josh Williams	Street Maintenance	12/21/2016	Dig Safely #12216-540-005-00
12/21/2016		2016-12-149	markout on Walnut Street for water main repair	Markout	Josh Williams	Sewer	12/21/2016	Dig Safely #12216-134-007-00
12/21/2016		2016-12-150	Mariner's muffin monster - cleaned as needed	Misc.	Josh Williams	Sewer	12/21/2016	
12/21/2016	Unit 1	2016-12-151	Smith/Cornell & Main St. post offices, complaint of black ice - salted both locations	Snow Removal	Mike MacCreery	Street Maintenance	12/21/2016	
12/22/2016		2016-12-152	took new electrician around snowed him most of the city owned poles, traffic lights and panel boxes	Misc.	Ed Boyle	Electrical	12/22/2016	
12/22/2016		2016-12-153	Wilbur Ave - fixed machine, made 4500 gallons of brine	Misc.	Ed Boyle	Street Maintenance	12/22/2016	
12/22/2016		2016-12-154	markout at 377 East Chester Street for gas main repair	Markout	Josh Williams	Sewer	12/22/2016	Dig Safely #12226-186-029-00
12/22/2016		2016-12-155	Check manholes on Pearl Street and Clinton Ave. and clean as needed	Manhole Inspection	Josh Williams	Sewer	12/22/2016	
12/22/2016		2016-12-156	Possible sewer backup at 109 Cedar St., line open, courtesy jet	Back up	Josh Williams	Sewer	12/22/2016	
12/22/2016		2016-12-157	possible sewer backup at 302 Clinton Ave., line open, courtesy jet	Back up	Josh Williams	Sewer	12/22/2016	
12/22/2016		2016-12-158	markout on Lincoln Street for guard rails	Markout	Josh Williams	Street Maintenance	12/22/2016	Dig Safely #12216-540-008-00
12/22/2016		2016-12-159	Picked up and disposed of dead possum on E. Chester St. & Park St.	dead animal	Mike MacCreery	sanitation	12/22/2016	
12/24/2016	KPD	2016-12-160	Salted main streets - called in by kpd	Salt	Mike Simon	Street Maintenance	12/24/2016	
12/25/2016	KPD	2016-12-161	Salted South Wall Street due to accident from icy road conditions	Salt	Mike Simon	Street Maintenance	12/25/2016	
12/25/2016		2016-12-162	Salted Sherman Drive (county 911 called)	Salt	Mike Simon	Street Maintenance	12/25/2016	
12/26/2016		2016-12-163	City Wide ice storm, 8 salters out for about 5-6 hours	Salt	Ed Boyle	Street Maintenance	12/26/2016	
12/27/2016		2016-12-164	putting grates back in salt trucks (#28, 43 & 44)	Misc.	Mike Simon	Street Maintenance	12/27/2016	
12/27/2016		2016-12-165	Washed all salters at Wilbur Ave. complex	Misc.	Mike Simon	Street Maintenance	12/27/2016	
12/27/2016		2016-12-166	Wilbur Ave - pushing up salt deliveries	Misc.	Mike Simon	Street Maintenance	12/27/2016	
12/27/2016		2016-12-167	Traffic Light at Wilbur Ave & Greenkill Ave. - reset light	Traffic Signal	Ed Boyle	Electrical	12/27/2016	
12/27/2016		2016-12-168	markout at Rt. 209 North Esopus Creek for sign post	Markout	Ed Boyle	Street Maintenance	12/27/2016	Dig Safely #12236-139-014
12/27/2016		2016-12-169	markout at Rt. 209 South Esopus Creek for sign post	Markout	Ed Boyle	Street Maintenance	12/27/2016	Dig Safely #12236-139-015
12/27/2016		2016-12-170	Helped KPD pick up a stolen snowblower from 56 Henry St. and deliver to headquarters	Misc.	Mike Simon	Street Maintenance	12/27/2016	
12/27/2016		2016-12-171	North Front Street - started rail on both parking lots	Misc.	Ed Boyle	Street Maintenance	12/27/2016	
12/27/2016		2016-12-172	Uptown parking lot - started working on light poles pulling wires	Misc.	Ed Boyle	Electrical	12/27/2016	
12/28/2016		2016-12-173	Uptown parking lot - work on light poles	Misc.	Ed Boyle	Electrical	12/28/2016	
12/28/2016		2016-12-174	Uptown parking lot - work on railing	Misc.	Ed Boyle	Street Maintenance	12/28/2016	
12/28/2016		2016-12-175	Wilbur Ave. & Barn - putting plows on and fueling trucks up	Misc.	Mike Simon	Street Maintenance	12/28/2016	
12/28/2016		2016-12-176	markout on North St. for test borings	Markout	Lou Fabiano	Sewer	12/28/2016	
12/28/2016		2016-12-177	markout at 14 Hudson Valley Landing for gas line repair	Markout	Lou Fabiano	Sewer	12/28/2016	
12/28/2016		2016-12-178	markout at 253 E. Union St. for gas valve install	Markout	Lou Fabiano	Sewer	12/28/2016	
12/28/2016		2016-12-179	sewer backup at 37 Sterling St. Line blocked	Back up	Lou Fabiano	Sewer	12/28/2016	
12/28/2016		2016-12-180	cleaned Block Park pumphouse	Misc.	Lou Fabiano	Sewer	12/28/2016	
12/28/2016		2016-12-181	markout at Rt. 28 & Albany Ave soil borings	Markout	Lou Fabiano	Sewer	12/28/2016	
12/29/2016		2016-12-182	Transfer Station shack - replace 8ft light fixture. Burned sockets and bad ballast, replaced with 4ft LED fixture	Misc.	Jeremy Wood	Electrical	12/29/2016	
12/29/2016		2016-12-183	snow storm - used truck 78 salted uptown business area	Snow Removal	Ed Boyle	Street Maintenance	12/29/2016	
12/29/2016		2016-12-184	general call out 3pm. City wide 4" snow	Snow Removal	Ed Boyle	Street Maintenance	12/29/2016	
12/29/2016		2016-12-185	Uptown parking lot -worked on hand rail	Misc.	Ed Boyle	Street Maintenance	12/29/2016	
12/29/2016		2016-12-186	Uptown parking lot -worked on light poles etc	Misc.	Ed Boyle	Electrical	12/29/2016	

WORK ORDER LOG

<u>Date Request Rec'd</u>	<u>Work Requested By</u>	<u>W.O. Number</u>	<u>Situation</u>	<u>Type</u>	<u>Issued to</u>	<u>Division</u>	<u>Date Complete</u>	<u>Note</u>
12/29/2016		2016-12-187	Markout at 176 Flatbush Ave for gas service	markout	Ed Boyle	Sewer	12/29/2016	Dig Safely #12286-543-119
12/29/2016		2016-12-188	Markout at 176 Flatbush Ave for gas service	Markout	Ed Boyle	Sewer	12/29/2016	Dig Safely #11286-040-029
12/30/2016		2016-12-189	Readjusted PED heads by YMCA, Elmendorf St. & Kingston Catholic	Ped Head	Jeremy Wood	Electrical	12/30/2016	
12/31/2016		2016-12-190	possible back up at 166 Wrentham St., line open, courtesy jet	Back up	Josh Williams	Sewer	12/31/2016	
12/31/2016		2016-12-191	backup at Springbrook Village, jetted line to clear blockage	Back up	Josh Williams	Sewer	12/31/2016	
12/31/2016		2016-12-192	possible backup at 618 Broadway; line open, courtesy jet	Back up	Josh Williams	Sewer	12/31/2016	
12/31/2016		2016-12-193	backup at 235 Elmendorf St., vacced manhole & jetted line	Back up	Josh Williams	Sewer	12/31/2016	